

PRIMARY CORNER DESCRIPTION Sec. Cor. for 20, 21, 28 and 29

Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____

GLO survey by Dennis Hathorn, Deputy Surveyor under Contract #73, dated June 8, 1857 - (DCSO records Vol. 15 Page(s) 6305)

-----

Set post cor. secs. 20, 21, 28 and 29, from which

- A Laurel 15" dia., bears S.70°W., 13 lks.
- A Laurel 12" dia., bears N.80°W., 14 lks.
- A Laurel 5" dia., bears S.54°E., 12 lks.
- A Laurel 5" dia., bears N.15°E., 27 lks.

Survey by John H. Markham, Jr. - Wit: W.E. Markham - Nov. 19, 1952 - C.S. File 41/83

-----

Determined by O.B.Ts:

- A Laurel 14" dia., bears S.70°W., 8.5 ft., found scribe and remarked S29 BT.
- A Laurel 14" dia., bears N.80°W., 9.2 ft. I remarked S20 BT.

At corner, put 1" x 24" I.P., from which

- A Laurel 12" dia., bears N.19°E., 16.2 ft. mkd. T29S R3W S21 BT.
- A Cedar 10" dia., bears East, 13.5 ft. mkd. S28 BT.

Corner lies on West slope of side ridge.

BLM resurvey by James E. Jelley and Wayne L. Rogers, Cadastral Surveyors, under Group #997, surveyed Oct 1979/April 1980 (DCSO records Vol. 43 Page(s) 16882)

-----

The Sec. cor., perpetuated and recorded by Markham in 1952, monumented with an iron pipe, 1" dia., firmly set, projecting 8" above ground, from which the remains of the original bearing trees:

- A Laurel 18" dia., bears S.70°W., 13 lks. dist., with healed blaze.
- A Laurel 16" dia., bears N.80°W., 14 lks. dist., with healed blaze.

and bearing trees mkd. by Powell (??)

- A Madrone 16" dia., bears N.22p°E., 25½ lks. dist., with healed blaze.
- A Cedar 15" dia., bears S.86½°E., 22 lks. dist., with healed blaze.

At the corner point

Set an iron post, 28" long, 2 1/2" dia., 24" in the ground, with brass cap mkd:

T 29	S R 3 W
<u>S 20</u>	<u>S 21</u>
S 29	S 28
1980	

from which new bearing trees  
(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 20, 21, 28 and 29

Alias	Description
Alias	Description
Alias	Description
Alias	Description

A Fir 16" dia., bears N.57°E., 42 lks. dist., mkd. T29S R3W S21 BT.  
A Cedar 8" dia., bears S.12°W., 77 lks. dist., mkd. T29S R3W S29 BT.  
A Fir 18" dia., bears N.46°W., 60 lks. dist., mkd. T29S R3W S20 BT.  
Reset iron pipe alongside iron post.

FD. BC & 4 BTs by D. Edwards, 1/2007 - M152-14

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor and Robert H Browning, Survey Tech, Under Group No. 2154, Surveyed April/May 2007 - DCSO records Vol. 57 Page(s) 22572  
-----  
The cor. of secs. 20, 21, 28, & 29, monumented with an iron post, 2½" dia., firmly set, projecting 3" above the ground, with brass cap (properly) mkd. from which the remaining original bearing tree  
A madrone, 17" dia., bears S.84¼°W., 8.6 ft., with a healed blaze. (Record, S.70°W.)  
and bearing trees mkd. by Markham, in 1952  
A madrone, 15" dia., bears N.22½°E., 16.8 ft., with a healed blaze.  
A cedar, 16" dia., bears S.86½°E., 14.5 ft., with a healed double blaze.  
and bearing trees mkd. by Jelley and Rogers  
A fir, 22" dia., bears N.57°E., 26.1 ft., with a healed blaze. (Record, 27.7 ft.)  
A cedar, 10" dia., bears S.12°W., 49.1 ft., with scribe marks 29S R3W S29 BT visible on a partially healed blaze. (Record, 50.8 ft.)  
A fir, 24" dia., bears N.46°W., 39.6 ft., with a healed blaze.  
(NAD 1983 (CORS 96))  
Latitude: 43°01'41.53"N      Longitude: 123°04'45.84"W

BLM dependent resurvey by Jeffrey O. Covington, Cadastral Surveyor, under Group No. 2804, surveyed Aug/Sept 2015 - (DCSO records Vol. 58 Page 23423-5 & Plat T29-3 2017-1)  
-----  
The cor. of secs. 20, 21, 28, and 29, monumented with an iron post, 2½" dia., firmly set, projecting 3" above ground, with brass cap (properly) mkd. from which the remaining original BT reported by Jelley and Rogers in 1979-80  
A madrone, 19" dia., bears S.86¼°W., 8.6 ft., with a hollowed blaze. (Record. S.70°W.)  
continued next page

TOWNSHIP 29 RANGE 03 POINT IDENTIFIER # 300300

PRIMARY CORNER DESCRIPTION Sec. Cor. for 20, 21, 28 and 29

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

and BTs mkd. by Markham, in 1952, reported by Jelley and Rogers as being mkd. by Powell

A madrone, 15" dia., bears N.22½°E., 16.8 ft., with a healed blaze.

A cedar, 17" dia., bears S.86½°E., 14.5 ft., with a healed blaze. and bearing trees mkd. by Jelley and Rogers

A fir, 22" dia., bears N.57°E., 25.9 ft., with a healed blaze. (Record, 27.7 ft.)

A cedar, 10" dia., bears S.12°W., 48.9 ft., with fragmentary scribe marks visible on a partially healed blaze. (Record, 50.8 ft.)

A fir, 25" dia., bears N.46°W., 39.6 ft., with a healed double blaze.

The iron pipe, 1" dia., firmly set, projecting 2" above ground, reset by Jelley and Rogers, is alongside the cor.