

TOWNSHIP 29 RANGE 03 POINT IDENTIFIER # 640300

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Secs. 24 and 25

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GL0 survey by W. H. Byars, Deputy Surveyor, under Contract #376, dated Jan. 22, 1881 - (DCSO records Vol. 15 Page(s) 6329)

Set Fir post for the ¼ sec. cor., from which
A Fir 18" dia., bears S.35°W., 36 lks. dist.
A Fir 14" dia., bears N.55°W., 16 lks. dist.

Survey by John H. Markham, Jr. - For: Stomar Lumber Co. -
Wit: R.G. Boyd - Oct. 29, 1957 - C.S. File 42/315-3

Determined by old BTs:
15" Fir snag N.55°W., 10.5 ft.
36" Fir bears S.39°W., 23.7 ft.
At corner point, Set 1¼" x 24" Iron pipe, from which
9" Fir bears S.66°E., 26.0 ft. mkd. ¼ S25 BT.
9" Fir bears S.86°W., 37.0 ft. mkd. ¼ S25 BT.

Mark Smalley - For: Roseburg Resources Co. - Oct. 1999 -
M 134-8

Found - 1¼" iron pipe.
36" Fir stump S.39°W., 23.7 ft. Orig.
22" Fir S.86°W., 37.0 ft. healed.
New BTs- 10" Fir N.46°W., 16.1 ft. "¼ S BT"
11" Fir N.21°W., 23.4 ft. "¼ S BT"
10" Fir N.40°E., 15.0 ft. "¼ S BT"

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor
and Robert H Browning, Survey Tech, Under Group No. 2157,
Surveyed March/May 2007 - DCSO records Vol. 57 Pages 22552-3

The ¼ sec. cor. of secs. 24 and 25, perpetuated by Markham,
in 1957, and by Smalley, in 1999, monumented with an iron
pipe, 1¼" dia., firmly set, projecting 6" above ground, with
no cap, from which the remains of an original bearing tree
A tin capped sawed fir stump, 43" dia., bears S.35°W.,
23.8 ft., with a healed blaze.
and bearing tree mkd. by Markham
A fir, 25" dia., bears S.85¼°W., 36.6 ft., with a healed
blaze.
and bearing trees mkd. by Smalley
A fir, 12" dia., bears N.35¼°E., 15.1 ft., with a healed
blaze.
A fir, 12" dia., bears N.49½°W., 16.2 ft., with a healed
blaze.
A fir, 13" dia., bears N.24¼°W., 23.3 ft., with a healed
blaze.
continued next page

TOWNSHIP 29 RANGE 03 POINT IDENTIFIER # 640300

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Secs. 24 and 25

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

On top of the existing iron pipe
Cement a brass cap, 3" dia., with 3½" stem, mkd.
T29S R3W
¼ $\frac{S24}{S25}$
2007