

TOWNSHIP 29 RANGE 07 POINT IDENTIFIER # 100109

PRIMARY CORNER DESCRIPTION East ¼ cor. for sec. 36 only T29-8

| | |
|-------------|-------------------|
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |

Original - Dennis Hathorn, Deputy, Contract #57 dated April 12, 1855 (DCSO records, Vol. 16 Page 6572)

Set ¼ sec. post, from which:
A fir, 40" diam., bears N.69°W., 56 lks
A Laurel, 20" diam., bears N.70°E., 106 lks.

Re-establishment of corners - Fred Mensch, U.S. Deputy Surveyor - under date of April 18, 1924 (DCSO Vol. 14 Page 6020-21)

Intersect the point for the Hathorn ¼ sec. cor. of secs. 31 & 36, located by measurement from the original bearing trees. the marks are plain on the bark of the NW tree; marks have been obliterated on the NE tree.

At the exact cor. point
Set an iron post, 3 ft long, 1" diam., 28" in the ground, for ¼ sec. cor. of sec. 36 only with brass cap mkd:

¼S36|
1924

from which (the original bearing trees)
A laurel, 30" diam., bears N.70°E., 106 lks.
A Fir, 40" diam., bears N.69°W., 56 lks.

New bearing trees:
A fir, 14" diam., bears S.54°W., 66 lks., mkd ¼ S36 BT
A fir, 10" diam., bears N.15°W., 14 lks., mkd ¼ S36 BT

James W. Byron, Dep. Co. Surveyor - Dale McFarland and John Powell - May/June 1962 - C.S. 49/139-67

Found - Brass cap at corner & under 3 ft. Fir log.
N.W. BT, now low stump. SW. BT., now down.
New BTs - 24" Laurel, bears S.17°W., 18.5 ft., scribed ¼ S36 CS BT.
10" diam., Cedar, bears S.82°W., 42 ft., scribed E ¼ S36 CS BT.

David Edwards - Crew: Brant Miller & Eric Sprinkle - 1/19/2017 - C.S. File 65/95-21

Found - 1924 GLO Brass capped iron pipe in good condition. Only the 1962 DCS accessories remain to wit:
24" dia., Laurel S.17°W., 18.5 ft is a blow down.
10" dia., Cedar is now a 14" dia., stob bearing S.82°W., 42 ft.
New - 10" dia, fir bears S.42°W., 7.7 ft.
10" dia., fir bears N.22°W., 29.0 ft.
Both scribed "¼ S36 BT"
A six ft steel post is set 2 ft. north.
Decl. 15° East