

PRIMARY CORNER DESCRIPTION Sec. Cor. for 3, 4, 9 and 10

Alias	Description
Alias	Description
Alias	Description
Alias	Description

Original - Nathaniel Ford, under Contract #44 dated May 30, 1854 (DCSO records, Vol. 15 Page 6533)

- 
- Set a post cor. of secs. 3, 4, 9 and 10, from which
- A B.Oak 10" dia., bears S.52°E., 55 lks. dist.
  - A Laurel 16" dia., bears N.65°E., 38 lks. dist.
  - A Red Fir 30" dia., bears N.53°W., 24 lks. dist.
  - A Red Fir 24" dia., bears S.26°W., 18 lks. dist.

J.W. Cole - Wit: Fred Byron; Jessie Ware - 1916 - C.S. File 4/60; C.S. File 35/46

- 
- Found - The remains of original trees, to-wit:
- 10" B.Oak S.52°E., 55 lks., dead, but stump shows scribe marks.
  - 16" Laurel N.65°E., 38 lks., standing but marks not visible.
  - 30" Red Fir N.53°W., 24 lks. standing, no marks visible.
  - 24" Red Fir S26°W., 18 lks., down and decayed.
- Marked new trees:
- 12" Fir S.55°W., 44 lks.
  - 5" Fir S.43°E., 157 lks.
- Remarked old trees.
- Trees are only marked with blaze, had no scribe at the time.
- Set Laurel 4" x 4" x 36" Post.

H.L. Eppstein, Surveyor - Wit: Geo. Spau; J.K. Falbe; Ed Jennings - Mar. 9, 1926 - "Old" cor. book, Pg. 134; C.S. File 35/46

- 
- Set corner from old tree, scribe marks plain on B.Oak. Laurel tree in good condition. 30" Fir in good condition. Set 4" x 4" x 3 ft. laurel post.
- Marked trees thus:
- Laurel 20" dia., N.65°E., 24.5 ft. (Old tree)
  - Fir 48" dia., N.53°W., 16.2 ft. (Old tree)
  - Fir 9" dia., S.43°E., 33.0 ft. (new tree)
  - Fir 15" dia., S.55°W., 27.2 ft. (New tree)

GLO survey by Hans W. Thielsen, under Group #316 - Surveyed, July/Aug. 1955 - (DCSO records Vol. 28 Page(s) 11769)

- 
- The Sec. cor., determined at record bearing and distance from the remaining two original bearing trees:
- A Madrona stump 18" dia., bears N.65°E., 38 lks. dist. with marks BT uncovered.
- (Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 3, 4, 9 and 10

Alias	Description
Alias	Description
Alias	Description
Alias	Description

A sawed Fir stump 53" dia., bears N.53°W., 24 lks. dist., no marks visible.  
At the corner point  
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd:  
T 29 S R 7 W  
S 4 S 3  
S 9 S 10  
1955  
from which new bearing trees:  
A Fir 14" dia., bears N.82°E., 20 lks. dist., mkd. T29S R7W S3 BT.  
A Fir 15" dia., bears S.23½°E., 42 lks. dist., mkd. T29S R7W S10 BT.  
A Fir 18" dia., bears S.38°W., 95 lks. dist., mkd. T29S R7W S9 BT.  
A Maple 12" dia., bears N.22°W., 58 lks dist., mkd. T29S R7W S4 BT.

BLM survey by James Jelley and Wayne Rogers, under Group #1044 - Surveyed Jan/April 1981 - (DCSO records Vol. 43 Page(s) 16677-78)

-----  
The Sec. cor., perpetuated and recorded by Eppstein in 1926, recorded by Boyer in 1957 and recorded by Baughman in 1980, monumented with an iron post, 2" dia., firmly set, projecting 8" above ground, with brass cap mkd: T 29 S R 7 W  
S 4 S 3  
S 9 S 10  
1955  
from which the remains of an original bearing tree:  
A sawed Fir stump 53" dia., bears N.50°W., 26 lks. dist., with illegible scribe marks visible on decayed blaze. (Rec. N.53°W., 24 lks.)  
and a bearing tree mkd. by Eppstein:  
A Fir 20" dia., bears S.44½°W., 43½ lks. dist., with illegible scribe marks visible on open blaze.  
and the remains of a bearing tree mkd. by Thielsen:  
A Fir stump 20" dia., bears S.38°W., 95 lks. dist., with illegible scribe marks visible on decayed blaze.  
and new bearing tree:  
A Fir 10" dia., bears N.59½°E., 40 lks. dist., mkd. T29S R7W S3 BT.  
A Fir 5" dia., bears S.1 3/4°E., 48½ lks. dist. mkd. X BT  
A Fir 5" dia., bears N.50°W., 57½ lks. dist. mkd. X BT.