

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Sec. 6 only, T30-9

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by Dennis Hathorn, Deputy Surveyor under Contract #57, dated April 12, 1855 - (DCSO records Vol. 17 Page(s) 7376)

Set ¼ sec. post, from which
A Cedar 15" dia., bears S.42°W., 57 lks. dist.
A Fir 40" dia., bears N.45°E., 66 lks. dist.

GLO resurvey by William M. Porter, Deputy Surveyor, Under Special Instructions dated June 5, 1907, Independent of, but in connection with his contract #768, dated March 8, 1907 - (DCSO records Vol. 31 Page(s) 13013)

Intersect point for ¼ sec. cor. Post and one witness tree gone. Set a Cedar post 3 ft. long, 4" sq., 24" in ground, for ¼ sec. cor. in lieu of decayed stake, mkd. ¼ S31 on N.; and 6 on S., faces, from which
Old wits.: A Fir 48" dia., bears N.45°E., 66 lks. dist. mkd. ¼ S31 BT.
New witness tree: A Cedar 50" dia., bears S.25°W., 81 lks. dist. mkd. ¼ S6 BT.

BLM Resurvey by Jack Bowerd; John Farnsworth; Wayne Rogers, Cadastral Surveyors, under Group #1000, Surveyed May 1979/Sept. 1982 - (DCSO records Vol. 44 Page(s) 17077-78)

The ¼ sec.cor. of sec. 6 only, determined from the remains of the original bearing trees
A decayed Fir snag 45" dia., bears N.45°E., 66 lks. dist., no marks visible on decayed blaze.
A Cedar root crown, size indeterminate, bears S.47°W., 57 lks. dist., no marks remaining.
and the remains of a bearing tree mkd. by Porter
A decayed Cedar stump 45" dia., bears S.25°W., 81 lks. dist., no marks visible.

At the corner point
Set an alum. post 28" long, 2½" dia., 24" in the ground with alum. cap mkd:

1/4 S 6
T 30 S R 9 W
1982

from which new bearing trees
A Fir 14" dia., bears S.44½°E., 21 lks. dist., mkd. ¼ S6 BT.
A Hemlock 8" dia., bears S.59 ¾°W., 54 lks. dist., mkd. ¼ S6 BT.

continued next page

TOWNSHIP 29 RANGE 09 POINT IDENTIFIER # 139100

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Sec. 6 only, T30-9

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Coos County Surveyors Office - Michael Dado, Surveyor - Crew:
Matthew Martin & Bill Hales - 2/11/2015 - C.S. File 65/89-6

Found - We find a 3¼" aluminum cap on a 2½" aluminum pipe,
0.2' tall, in good condition and solid in the
ground, per Bowder, Farnsworth & Rogers, 1982;
D.Fir pitch post with yellow BT tag 3' South of
monument.
42" D.Fir stump, N.46°E., 43.40'
16" Hemlock stump, S.62°W., 35.34'
48" W.Cedar stump, S.30°W., 54.89'