

TOWNSHIP 30 RANGE 05 POINT IDENTIFIER # 048070

PRIMARY CORNER DESCRIPTION S SW Cor. Gazley DLC #48

Alias 051020 Description NW Cor. DLC #51  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

Original DLC survey by Bowman and Burnett under Contract date  
Sept. 24, 1855

-----  
Set a post marked, from which  
B.Oak 18" dia., bears N.20°E., 174 lks.

E. Summers - For: Bollenbaughs' (No date for this info. fd.  
No record source found - See "old" cor. Bk. Pg. 146

-----  
(This renewal first called "Inner" cor. but Frear in 1920  
said Inner cor. falls in river and this must be Ext. Corner.)

Renewed from Govt section corner and field notes. Set a blue  
lime stone from which  
A B.Oak 40" dia., bears N.54°30'W., 190 lks.

-----  
"This must be Ext "L" Cor. Cl. 48 - I Set 1" x 34" I.Pin."  
F.C.F. 1920

Robert Thompson - Jan. 1955 - C.S. File 41/339

-----  
1¼" Iron pipe, 1 BT.

Doug. County Surveyors Office - Gary Langlitz, Deputy - M.  
Lenora Ladig; Karen Cheney - May 17, 1976 - C.S. File 59/15-4

-----  
Found - 1" Pipe, set flush in the East road shoulder of  
Gazley Road.

One apparent BT, a 42" Oak bearing N.54½°W., 126.7  
ft. with a well healed double blaze, with poster  
saying S.54½°E., 125.4 ft. posted by Co. Surveyor  
March 1961 (C.S. File 52/72) This information  
was used to locate the found I.P. \*\*The records  
of the County Surveyor do not give an origin for  
the I.P. or the 42" B.Oak. There is no recorded  
call to the BT.

\*\* (Research shows this to be info. recorded in  
former Ren. #44 that is by Summers - as shown  
above - V.L. 1/10/83)

This corner fits well for distance from the SE Cor. of Sec.  
21, T30S R5W.

Due to impending road construction activity, We Set Witness  
Corner as follows: At a point which bears S.47°15'24"W.,  
60.26 ft. from the 1" I.P. -

We Set a 1" x 30" I.P. with brass cap marked:

(Cont. Next Page)

TOWNSHIP 30 RANGE 05 POINT IDENTIFIER # 048070

PRIMARY CORNER DESCRIPTION S SW Cor. DLC #48

Alias 051020 Description NW Cor. DLC #51  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

Douglas County Surveyor  
T 30 S R 5 W  
Witness Corner  
NW  
Cor | DLC  
51  
N.47°15'24"E., 60.26  
to true cor. 1976  
BT - 42" B.Oak now bears N.27°26'W., 128.5 ft.  
There are no other usable trees near.  
See also C.S. File 59/19 for survey ties to the DLC cor. and  
its witness corner, and the SE corner of Sec. 21, T30S R5W.

Doug. County Surveyors Office - Randall Smith; Stephen Flause  
- March 16, 1992 - C.S. File 64/24-10  
-----  
Found - 1" I.D. I.Pipe 1" below ground in gravel turn-out.  
DCS0 2½" dia. brass cap on a 1¼" O.D. I.P,  
protruding 3" above ground.  
Bearings and distances from corner I.P.:  
40" now 46" dia. B.Oak with a fully healed double  
blaze bears N.54½°W., 125.4 ft. (agrees w/rec)  
DCS0 BC/IP Witness Corner bears S.47¼°W., 60.26 ft.  
(agrees w/rec.)  
New Accessories:  
3" dia. DCS0 drill cap in SE cor. of concrete  
bridge, stamped "B0 1 1992", bears North, 106.3  
ft.  
24" dia. Maple double blazed and scribed "NW DLC 51  
CS BT" bears S.2½°E., 61.5 ft.

Raymond Brown - 12/28/95 - C.S. 65/2-5  
-----  
Found - 1" I.P. (This corner was removed due to rd. const.)  
DCS0 Brass cap witness corner which, bears  
S.47°15'24"W., 60.06'.  
3" DCS0 Brass cap, Mkd. "B0, 1, 1992", bears  
N.0°32'59"E., 106.43'.  
The existing BTs were destroyed and not fd.  
Mon set- used a 5/8" I.R. reference line east of corner.  
Reset said 1" I.P. with a 2"x36" I.P. with a 3"  
brass cap attached. Said brass cap was set 2"  
below gravel surface.  
New Accessories - From reset DLC corner  
Power pole #219100, bears N.69°01'21"W., 42.94'.  
5/8" I.R., bears S.17°47'E., 28.22' (STA. PC  
20+75.79)

cont.

TOWNSHIP 30 RANGE 05 POINT IDENTIFIER # 048070

PRIMARY CORNER DESCRIPTION S SW Cor. Gazley DLC #48

Alias 051020 Description NW Cor. DLC #51

Alias \_\_\_\_\_ Description \_\_\_\_\_

Alias \_\_\_\_\_ Description \_\_\_\_\_

Alias \_\_\_\_\_ Description \_\_\_\_\_

Fd. BC as per rec. by D. Edwards 9/2022 - M181-34