



Alias	Description
_____	_____
Alias	Description
_____	_____
Alias	Description
_____	_____
Alias	Description
_____	_____

A madrone, 24" dia., bears S.11°E., 59 lks., with fragmentary scribe marks visible on opened blaze.  
A root hole, bears S.44°W., 59 lks., with a down madrone alongside, 16" dia., with fragmentary scribe marks visible on decayed blaze.  
An oak, 15" dia., bears N.10°W., 65 lks., no marks visible on decayed blaze.  
and bearing trees mkd. by Tracy  
A cedar, 22" dia., bears N.11°E., 48 lks., with scribe marks T30S R8W S17 CS BT visible on open blaze.  
A W.Fir, 16" dia., bears S.1°E., 29 lks., with scribe marks T30 R8W S20 CS BT visible on open blaze.  
A fir, 10" dia., bears S.31°W., 35 lks., with healed blaze.  
A W.Fir, 17" dia., bears N.59°W., 14½ lks., with healed blaze.

Douglas Co. Surveyors Office - Larry E. Monrean - P.L. Earle  
- J.H. Cook - 1/21/1976 - C.S. File 59/2-10  
-----  
Found - Brass cap at sec. corner (properly) stamped. From which  
Orig. 12" now 18" dia. Laurel snag bears S.11°E., 38.9 ft. Snag has been opened no scribing visible as snag is badly decayed. (All other orig. BTs are gone)  
20" now 22" dia., R.Cedar bears N.12½°E., 32.0 ft. (rec. N.11°E., 31.5 ft.) tree scribed "T30S R8W S17 CS BT"  
15" dia., W.Fir is uprooted approx. standing position is N.59°W., 9.6 ft. Tree has good blaze.  
15" dia., W.Fir is uprooted approx. standing position is S.1°E., 19.0 ft. Tree is scribed "T30S R8W S20 CS BT"  
9" dia., D.Fir is uprooted approx. standing position is S.31°W., 23.0 ft. Tree has good blaze.  
New BTs- A 16" dia., D.Fir bears N.13°W., 63.9 ft. Tree blazed & scribed T30S R8W S18 CS BT.  
A 13" dia., D.Fir bears S.66°W., 32.1 ft. Tree blazed & scribed "T30S R8W S29 CS BT"  
Set spike in 48" dia., Fir stump, spike bears S.57°E., 92.5 ft. stamped "B0".  
Mag. Dec. 20°E.

Alias	Description

BLM resurvey by George M. Winter, Cadastral Surveyor, under Group No. 2698, surveyed April 2013/Feb. 2014 - (DCSO records Vol. 58 page(s) 23156-7)

-----  
The cor. of secs. 17, 18, 19, and 20, perpetuated by Monrean, in 1976, monumented with an iron post, 1¼" dia., firmly set, projecting 10" above ground, with brass cap (properly) mkd. from which the remains of an original bearing tree

A madrone snag encircled by madrone side-shoots, 13" dia., bears S.11°E., 38.9 ft., with no marks visible.  
and accessories mkd. by Monrean

A 60d steel spike, mkd. B0, driven into the top of a fir stump, 48" dia., bears S.58¾°E., 92.6 ft.

A fir, 21" dia., bears S.64½°W., 31.9 ft., with a healed double blaze.

A decayed fir stump, 13" dia. bears N.14½°W., 63.6 ft., with a healed blaze.

and new bearing trees

A fir, 6" dia., bears N.21¾°E., 5.1 ft mkd T30S R8W S17 BT

A cedar, 13" dia., bears S.61½°E., 13.3 ft., mkd. T30S R8W S20 BT.

A fir, 6" dia., bears N.89¾°W., 14.1 ft., mkd. T30S R8W S18 BT.

From the corner

W., 156 ft., gravel road, 20 ft. wide, bears N.8°E. & S.5°W.

BLM dependent resurvey by Jeffrey O. Covington, Cadastral Surveyor, under Group No. 2972, surveyed May 2020/Feb 2021 - (DCSO records Vol. 59 Page(s) 23965-6)

-----  
The cor. of secs. 17, 18, 19, and 20, reported by Winter in 2013-14, monumented with an iron post, 1¼" dia., firmly set, projecting 10" above ground, with a brass cap (properly) mkd. from which the remains of the accessories reported by Winter

A fir, 8" dia., bears N.21¾°E., 5.1 ft., with illegible scribe marks visible on partially healed blaze.

A cedar, 16" dia., bears S.61½°E., 13.3 ft., with scribe marks T30S R8W S20 BT visible on partially healed blaze.

A 60d steel spike, mkd. B0, driven into the top of a fir stump, 48" dia., bears S.58¾°E., 92.6 ft.

A broken, decayed madrone stump, 18" dia., bears S.11°E., 38.9 ft., with a hollowed blaze. (Original)

A fir, 21" dia., bears S.64½°W., 31.9 ft., with a healed double blaze.

A fir, 7" dia., bears N.89¾°W., 14.1 ft., with illegible scribe marks visible on partially healed blaze.

Continued next page

TOWNSHIP 30 RANGE 08 POINT IDENTIFIER # 200400

PRIMARY CORNER DESCRIPTION Cor. Secs. 17, 18, 19, & 20

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A decayed fir stump, 13" dia., bears N.14½°W., 63.6 ft.,  
with axe marks visible on bark.  
Corner is located E., 155 ft., of Battle Creek Road, graveled  
surface, 18 ft. wide, bears N.10°E. and S.5°W.