

TOWNSHIP 30 RANGE 09 POINT IDENTIFIER # 100540

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Sec. 7; & 12, T30-10

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

GLO survey by Dennis Hathorn, Deputy Surveyor under Contract #57, dated April 12, 1855 - (DCSO records Vol. 17 Page 7377)

-----  
Set ¼ sec. post, from which  
A Fir 30" dia., bears S.38°E., 21 lks.  
A Cedar 15" dia., bears S.32°W., 39 lks.

GLO survey by William Bushey, Deputy Surveyor, under Contract #613, dated April 29, 1893 (DCSO records Vol. 17 Page(s) 7409)

-----  
Set a Cedar post 4 ft. long, 4" sq., 24" in the ground for ¼ sec. cor. marked ¼ S on W. face, from which  
A Fir 36" dia., bears S.34¼°E., 48 lks. mkd. ¼ S BT.  
A Fir 10" dia., bears N.75¼°W., 103 lks. mkd. ¼ S BT

(Sketch in C.S. File 54/51 received from Coos County)

BLM retracement by Aaron M Graham, Cadastral Surveyor, under Group No 2164, surveyed June/Oct. 2007 - (DCSO records Vol. 56 Page(s) 22256-8 and BLM Plat 2010-1 & 2010-2)

-----  
The ¼ sec. cor. of secs. 7 & 12, on the W. bdy. of the Tp., perpetuated by person(s) unknown accepted and rehabilitated by JN Gearhart, Coos County Surveyor, in 1951, filed in the Coos County Surveyor's Office, under Map No. 40B5 and in Book 7 pages 95; monumented with an iron pipe, 1" dia., firmly set, projecting 10" above ground, from which the remains of a BT mkd. by Bushey in 1893

A decayed fir stump, 32" dia., bears N.75¼°W., 66.2 ft., with axe marks visible on open blaze. (Rec. 68.0 ft.) and the BTs mkd. by Gearhart

A fir, 39" dia., bears N.17¼°E., 26.0 ft with healed blaze  
A cedar, 38" dia., bears S.22½°W., 42.5 ft., with a healed blaze.

and the remains of the BTs mkd. by person(s) unknown  
A fir, 63" dia., bears S.76°E., 30.1 ft with healed blaze  
A cedar stump, 34" dia., bears N.77¼°W., 52.9 ft., with a healed blaze.

At the corner point  
Set a stainless steel post, 28" long, 2½" dia., 24" in the ground, directly over the iron pipe, with brass cap mkd.

T 30 S  
R 10 W | R 9 W  
¼  
S 12 | S 7  
2007