

PRIMARY CORNER DESCRIPTION Sec. Cor. for 13 & 24; 18 & 19, T30-8

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GL0 survey by Dennis Hathorn, Deputy Surveyor under Contract #57, dated April 12, 1855 - (DCSO records Vol. 17 Page(s) 7370-71)

Marked a Laurel, cor. of secs. 13, 24, 18 and 19, from which
A Fir 15" dia., bears N.35°E., 60 lks. dist.
A Fir 24" dia., bears S.26°E., 154 lks. dist.
A Chinquapin 5" dia., bears S.45°W., 32 lks. dist.
A Laurel 5" dia., bears N.70°W., 35 lks. dist.

Douglas County Surveyors Office - Vernon "Ray" Tracy and crew
Aug. 1964 - C.S. File 53/53-55

Found - Squared post.
15" now 34" D.Fir N.35°E., 39.6 ft., faint bark scribe "BT" and other not legible.
24" D.Fir now down and rotted, S.26°E., 101.6 ft.
Found part of old face and axe marks in rotten remnants.

No trace of Laurel or Chinquapin in SW. or NW.
Set 1" I.P. and brass cap mkd: County Surveyors Office 1964

R9W

S 13	S 18
S 24	S 19

 R8W

New BTs- 8" D.Fir N.87°E., 8.8 ft. mkd. T30S R8W S18 CS BT
8" D.Fir N.43°W., 10.0 ft. mkd. T30S R9W S13 CS BT
8" D.Fir S.52°W., 12.4 ft. mkd. T30S R9W S24 CS BT
13" D.Fir S.19°E., 26.7 ft. mkd. T30S R8W S19 CS BT

Fd. and used in BLM resurvey by James E. Jelley and Wayne L. Rogers, Cadastral Surveyors, under Group #1021, surveyed April 1980 - (DCSO records Vol. 45 Page(s) 17280)

BLM resurvey by A. Bert Skeesick, Cadastral Surveyor under Group #2009, surveyed July/Aug. 2002- (DCSO rec. Vol. 54 Page(s) 21064-5)

Beginning at the cor. of secs. 13, 18, 19, & 24 on the E. bdy. of the Tp., monumented with an iron post, 1½" dia., firmly set, projecting 13" above ground, with brass cap mkd. from which the remains of the orig. bearing trees

A decayed stump, 30" dia., species indeterminate, bears N.35°E., 38.2 ft., with no marks visible. (Record, fir, 39.6 ft.)

and remains of bearing trees mkd. by Tracy, in 1964, and reported by Jelley and Rogers

A fir, 17" dia., bears N.85°E., 8.6 ft., with healed double blaze.

continued next page

PRIMARY CORNER DESCRIPTION Sec. Cor. for 13 & 24; 18 & 19, T30-8

Alias	Description
_____	_____
_____	_____
_____	_____
_____	_____

A roothole bears S.20°E., 26.4 ft., with fallen trunk, 16" dia., species indeterminate, lying alongside, and healed blaze. (Record, fir)
A roothole bears S.55°W., 12.5 ft., with fallen trunk, 8" dia., species indeterminate, lying alongside, and healed blaze. (Record, fir)
A roothole bears N.41¾°W., 9.9 ft., with fallen trunk, 13" dia., species indeterminate, lying alongside, and healed blaze. (Record, fir)
and new bearing trees
A fir, 13" dia., bears N.62½°E., 44.8 ft., mkd. T30S R8W S18 BT.
A fir, 8" dia., bears S.53¾°W., 27.2 ft., mkd. X BT.
A fir, 10" dia., bears N.59½°W., 49.4 ft., mkd. T30S R9W S13 BT.
Each new bearing tree has a 2½"x ¼" magnetic nail (Mag Nail) driven at the base right side-center, unless otherwise described in the corner description

BLM resurvey by George M. Winter, Cadastral Surveyor, under Group No. 2698, surveyed April 2013/Feb. 2014 - (DCSO records Vol. 58 page(s) 23158-9)

The cor. of secs. 13, 18, 19, and 24, on the W. bdy of the Tp., monumented with an iron post, 1½" dia., firmly set, projecting 13" above ground, with brass cap (properly) mkd. from which the remains of an original bearing tree
A decayed fir stump, 52" dia. bears N.35°E., 38.2 ft., with a healed blaze.
and remains of bearing trees mkd. by the Douglas County Surveyor's Office in 1964
A fir, 20" dia., bears N.85°E., 8.6 ft., with a healed double blaze.
A roothole bears S.20°E., 26.4 ft., with decayed trunk laying alongside, 14" dia., with a healed blaze.
A roothole bears S.55°W., 12.5 ft., with decayed trunk laying alongside, 8" dia., with no marks visible.
A roothole bears N.41¾°W., 9.9 ft., with fir trunk laying alongside, 12" dia., with fragmentary scribe marks visible.
and bearing trees mkd. by Skeesick in 2002
A fir, 16" dia., bears N.62½°E., 44.8 ft., with a healed blaze.
A fir, 9" dia., bears S.53¾°W., 27.2 ft., with a healed double blaze.
A fir, 13" dia., bears N.59½°W., 49.4 ft., with a healed blaze.

cont

TOWNSHIP 30 RANGE 09 POINT IDENTIFIER # 700400

PRIMARY CORNER DESCRIPTION Sec. Cor. for 13 & 24; 18 & 19, T30-8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Daniel A Renton, Minister-Glaeser Surveying - Garrett Finch and crew - For: US Department of Interior, BLM Beetle Battle South-Task D - May 24, 2023 - M178-74 A-D

Found - 2½ County Surveyor's office brass cap (properly mkd)
0.9 ft above ground from which:
A 22" Fir bears N.85°E., 8.6 ft., with healed double
blaze and BT signs (1964)
A 19" Fir bears N.62½°E., 45.1 ft. with healed blaze
and BT signs (2002)
A 16" Fir bears N.59½°W., 49.6 ft., with healed
blaze and BT sign (2002)
A 12" Fir bears S.53¾°W., 27.2 ft., with healed
double blaze and BT signs (2002)
A roothole bears N.41¾°W., 9.9 ft., 8" trunk lying
alongside, indeterminate species (1964)
A 59" stump bears N.35°E., 38.2 ft., no remaining
evidence (1855)
A roothole bears S.20°E., 26.4 ft., 14" trunk lying
alongside, indeterminate species (1964)
A roothole bears S.55°W., 12.5 ft., 6" trunk lying
alongside, indeterminate species (1964)
Set chaining nail at side center, BT signs on front and rear,
and painted red band for existing BTs)