

PRIMARY CORNER DESCRIPTION Cor. Secs. 9, 10, 15, & 16

Alias	Description
Alias	Description
Alias	Description
Alias	Description

GLO survey by Fred Mensch, US Deputy Surveyor, under contract dated June 7, 1922 - (DCSO records Vol. 26 Page(s) 11203-4)

Set an iron post, 3 ft. long, 2" dia., 27" in the ground, for cor. of secs. 9, 10, 15, & 16, with brass cap mkd

T31S R1E
S 9|S 10
S 16|S 15
1923

from which

A chinquapin, 6" dia., bears N.50°E., 110 lks., mkd: T31S R1E S10 BT.

A cedar stub, 18 ft. high, 36" dia., bears S.44°E., 71 lks., mkd: T31S R1E S15 BT.

A willow, 6" dia., bears S.36°W., 67 lks., mkd: T31S R1E S16 BT.

A fir, 14" dia., bears N.15°W., 197 lks., mkd: T31S R1E S9 BT.

Sugar Pine Ranger Station bears S.23½°E., 12.95 chs.

GLO dependent resurvey by Leonard Carter, Public Land Surveyor, under Group No. 175, surveyed Sept./Nov. 1936 - (DCSO Vol. 46 Page(s) 17633)

The cor. of secs. 9, 10, 15, & 16, which is an iron post, 2" dia., 10" above ground, firmly set, with brass cap (properly) mkd. from which

A chinquapin, 8" dia., bears N.50°E., 110 lks., mkd: T31S R1E S10 BT. (Old BT)

A cedar stub, 36" dia., 18 ft. high, bears S.44°E., 71 lks., mkd: T31S R1E S15 BT. (Old BT)

A willow, 8" dia., bears S.36°W., 67 lks., mkd: T31S R1E S16 BT. (Old BT)

A fir, 16" dia., bears N.15°W., 197 lks., blaze practically healed; I do not open. (Old BT)

A fir, 8" dia., bears S.27°E., 276 lks., mkd: T31S R1E S15 BT. (New BT)

A fir, 8" dia., bears S.10°W., 202 lks., mkd: T31S R1E S16 BT. (New BT)