

PRIMARY CORNER DESCRIPTION Sec Cor for 34 & 35; 2 & 3, T32-3

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by W.H. Byars, Deputy Surveyor, under Contract #152, dated June 3, 1871, - (DCSO records Vol. 18 Page(s) 7688)

Set post, cor. to secs. 2, 3, 34 and 35, from which
A Fir 12" dia., bears N.38°E., 19 lks. dist.
An Alder 4" dia., bears S.60°E., 34 lks. dist.
An Alder 14" dia., bears S.58°W., 47 lks. dist.
An Alder 24" dia., bears N.70°W., 19 lks. dist.

GLO survey by William Bushey, Deputy Surveyor, under Contract #620, dated June 17, 1893 (DCSO records Vol. 18 Page(s) 7719)

The Sec. cor., which is a post, greatly decayed, with marks nearly obliterated, I find the 4 witness trees. At cor. point, SET a stone 12x12x6 ins., 8" in the ground for cor. to secs. 2, 3, 34 and 35, marked with 2 notches on E. and 4 notches on W. edges; from which

A Fir (hemlock) 12" dia., now 14", bears N.38°W., 19 lks. dist. mkd. T31S R3W S35 BT.
An Alder 4" dia., bears S.60°E., 34 lks. dist. mkd. T32S R3W S2 BT.
An Alder 14" dia., bears S.58°W., 47 lks. dist. mkd. T32S R3W S3 BT. This tree is dead. In its stead:

I mark:

A Fir 14" dia., bears S.31°W., 22 lks. dist. "T32S R3W S3 BT"
An Alder 24" dia., bears N.70°W., 19 lks. dist. "T31S R3W S34 BT".

George J. Wenderoth, Deputy Co. Surveyor - June 1950 - C.S. File 45/229

Found - 28" Hemlock bearing N.38°E., 12.5 ft.
28" W.Fir S.31°W., 14.5 ft.
Set a 2" I.P. for the corner, from which marked:
A 6" Hemlock bearing S.36°10'E., 33.0 ft.
A 10" W.Fir bearing N.11°18'W., 11.5 ft.

Douglas Co. Surveyors Office - John M. Powell, Frank Jones & Joe Brady, crew - Jan/Feb. 1966 - C.S. File 52/63-68

Found - 28" Hemlock now 28", N.38°E., 12.5 ft. Tree almost dead.
28" W.Fir snag S.31°W., 14.5 ft. scribe visible
"T32S"

(Cont. Next Page)

TOWNSHIP 31 RANGE 03 POINT IDENTIFIER # 500100

PRIMARY CORNER DESCRIPTION Sec Cor for 34 & 35; 2 & 3, T32-3

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

<p>14" Hemlock S.38°E., 45.2 ft. good scar. 24" Hemlock S.9°W., 27.0 ft. good scar. 60" D.Fir west 66.3 ft. good scar. Post 3.0 East & West. Note - Compass decl. 15½°E.</p>