

TOWNSHIP 31 RANGE 03 POINT IDENTIFIER # 700240

PRIMARY CORNER DESCRIPTION E. 1/4 Cor for Sec. 25 only

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by William Bushey, Deputy Surveyor, under Contract #620, dated June 17, 1893 (DCSO records Vol. 18 Page 7697-98)

Set a stone 14x8x6 ins., 10" in the ground for ¼ sec. cor. mkd. ¼ on W. face; from which
A Yew 4" dia., bears N.44½°E., 12½ lks. dist. mkd. ¼ S BT.
A Yew 8" dia., bears N.17½°W., 21 lks. dist. mkd. ¼ S BT.

GLO survey by Fred Mensch, Deputy Surveyor, under Contract #766, dated May 10, 1906 - (DCSO records Vol. 18 Page 7623)

The ¼ sec. cor. is partially obliterated. The stone set for cor. is not found. Bearing tree partly overgrown. I reestablish the cor. in its original position for sec. 25, T31S R3W. only as follows:
Set an iron stone 18x8x5 ins., 12" in the ground for ¼ sec. cor. on E. bdy. sec. 25 mkd. ¼ on W. face, from which
A Yew 10" dia., bears N.17½°W., 21 lks. mkd. ¼ S25 BT.
A Hemlock 6" dia., bears S.73°W., 58 lks. mkd. ¼ S25 BT.

Douglas Co. Surveyors Office - John M. Powell, & crew - Aug. 5, 1966 - C.S. File 54/28-101

Found - 18x8x5 Ironstone at ¼ corner.
10" Yew now 14", N.17½°W., 13.9 ft., found two old, rotten faces, but no scribe marks visible.
6" Hemlock S.73°W., no trace of this tree.
Good call on creek, 78.5 ft. (1.19 chs) from creek.
Set Brass cap at cor. mkd: County Surveyors Office
R T31S R
3W ¼ S 25 | 2W
1966
New BTs- 6" Hemlock N.57½°W., 30.3 ft. mkd. ¼ S25 CS BT.
15" Yew S.23°W., 23.4 ft. mkd. ¼ S25 CS BT.

James Klein - Keith Primm - Douglas Popham - For: Williams/Pacific Connector Pipeline - 5/2015 - M166-40 A-I & M171-2 A-D

Found - 2½" brass cap properly mkd) 1966
4.5" dead yew tree with healed face & tag dated 11/86 N.44°E., 8.3' to side center
7.5" hemlock with visible scribe & tag dated 10/13 S.74°W., 37.3' to nail side center (tree is existent contrary to DCSO renewal, 700240, 1966.)
15" yew with healed face and tag dated 11/56 N.17°W., 13.9' to nail side center.