

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 12; 6 & 7, T31-8

Alias	Description
Alias	Description
Alias	Description
Alias	Description

GLO survey by W.H. Byars, Deputy Surveyor under contract # 456 dated July 28, 1882 (DCSO records Vol. 19 Page(s) 8107-08)

Set a Chinquapin post 4 ft. long, 4" sq., 24" in the ground mkd. T31S R8W S6 on the NE.; S7 on SE.; R9W S12 on the SW.; and S1 on the NW. faces; also 5 notches on the S. and 1 notch on the N. angle of the same, for cor. to secs. 1, 6, 7 and 12, from which

- A Fir 20" dia., bears N.40°E., 40 lks. dist. mkd. T31S R8W S6 BT.
- A Fir 20" dia., bears S.41°E., 38 lks. dist. mkd. T31S R8W S7 BT.
- A Fir 20" dia., bears S.62°W., 35 lks. dist. mkd. T31S R9W S12 BT.
- A Fir 14" dia., bears N.40°W., 40 lks. dist. mkd. T31S R9W S1 BT.

GLO survey by Wm. H. Byars, Deputy Surveyor, under Contract #727, dated Dec. 20, 1900 - (DCSO records Vol. 19 Page(s) 8242)

Post and witness trees standing and agree with notes furnished by the Surveyor General.

BLM Resurvey by C. Albert White, Harold D. Corbin, Cadastral Surveyors and Donald R. Beck, Surveying Technician, Under Group #446, Surveyed Nov. 1960/Sept. 1962 - (DCSO records Vol. 31 Page(s) 13187-88)

The Sec. Cor., perpetuated with an old squared stake, loosely set in small mound of stone, at record distance from the remains of the original bearing trees:

- A forked Fir 22" dia., bears N.40°E., 40 lks. dist., mkd. T31S R8W S6 BT on old bark blaze.
- A Fir stump 18" dia., bears S.35°E., 38 ks. dist., mkd. W on bark blaze. (Rec. brg. S.41°E.)
- A Fir snag 25" dia, bears S.58°W., 35 lks. dist., bark scribing visible, not legible. (Rec. brg. S.62°W.)
- A Fir 20" dia., bears N.42½°W., 40 lks. dist., mkd. T31S R9W S1 on bark blaze. Remarkd T31S R9W S1 BT. (Rec. brg. N.40°W.)

At the corner point

Set an iron post, 28" long, 2 1/2" dia., 22" in the ground, with brass cap mkd:

(Cont. Next Page)

TOWNSHIP 31 RANGE 09 POINT IDENTIFIER # 700600

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 12; 6 & 7, T31-8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

T 31 S
R 9 W R 8 W
S 1 | S 6
S 12 | S 7
1962

from which new bearing trees:

A Fir 28" dia., bears N.19°E., 41 lks. dist., mkd. T31S R8W S6 BT.

A Fir 19" dia., bears S.47°E., 53 lks. dist. mkd. T31S R8W S7 BT.

A Fir 20" dia., bears S.30°W., 25 lks. dist., mkd. T31S R9W S12 BT.

Fd. OK by K. DeGroot, June 2001 - M137-13