

PRIMARY CORNER DESCRIPTION Sec. Cor. for 29, 30, 31 and 32

Alias_____	Description_____
Alias_____	Description_____
Alias_____	Description_____
Alias_____	Description_____

Original - GLO survey by Wells Lake, Deputy Surveyor, under Contract #54, dated Feb. 19, 1855 (DCSO records Vol. 20 Page(s) 8575)

Set post cor. to secs. 29, 30, 31 and 32 on NE. slope, from which

- A Maple 12" dia., bears N.33°W., 16 lks.
- A Maple 4" dia., bears S.41°W., 31 lks.
- A Dogwood 4" dia., bears S.67½°E., 41 lks.
- A Fir 16" dia., bears N.46°E., 25 lks.

W. F. Briggs, Co. Surveyor - For: H. Woodford and Ch. Aytch -Sept. 1900 - Vol. 2 Page 97

Set post as per original BT, standing, to wit:

- Fir 24" dia., bears N.46°E., 25 lks.
- Dogwood 6" dia., bears S.67½°E., 41 lks.
- W.Fir 8" dia., bears S.80°W., 22 lks. (New)
- Maple tree gone.

GLO survey by Oscar F. Thiel, Deputy Surveyor, under Contract #729, dated Dec. 24, 1900 and special instructions dated Sept. 12, 1901 (DCSO records Vol. 20 Page(s) 8600-01)

The Sec. cor., which being gone, I reestablish the same, be setting a wh. Fir post 3 ft. long, 4" sq., 24" in the ground for sec. cor. marked T32S S29 on NE.; R5W S32 on SE.; S31 on SW.; and S30 on NW. faces, with 1 notch on S. and 5 notches on E. edges, from which

- A Fir 16" dia., bears N.46°E., 25 lks. mkd. T32S R5W S29 BT. (Old BT)
- A Dogwood 4" dia., bears S.67½°E., 41 lks. mkd. T32S R5W S32 BT. (Old BT)
- A Maple 11" dia., bears S.87°W., 29 lks. mkd. T32S R5W S31 BT. (New BT)
- A Wh.Fir 12" dia., bears N.21½°W., 31 lks. mkd. T32S R5W S30 BT. (New BT)

George Baker - Wit: R. Asbarray and E. DuBell - April 25, 1947 - C.S. File 40/3

I found a 40" Fir stump with scribe marking "S29" at 24". All other trees gone. From this stump, I set a 1½" x 36" truck axle S.46°W., a distance of 25 lks. (16.5 ft.) for the corner common to sections 29, 30, 31 and 32. From this, I marked the following bearing trees:

- 14" Cedar bears N.20°32'E., 72.7 ft.

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 29, 30, 31 and 32

Alias_____	Description_____
Alias_____	Description_____
Alias_____	Description_____
Alias_____	Description_____

7" Fir bears S.46°13'E., 41.8 ft.
 16" Ash bears S.24°07'W., 99.4 ft.
 8" Fir bears S.88°W., 12.0 ft.

Fd. OK, by G. Wenderoth, Aug. 1952, C.S. File 45/97

BLM dependent resurvey by Joseph S. Gawron and Norman J. McDonald, under Group #472, surveyed June/July 1962 (DCSO records Vol. 32 Page(s) 13252-53)

 The Sec. cor., perpetuated with an axle shaft 1½" dia., firmly set, protruding 8" above ground at record bearing and distance from the only remaining original bearing tree:

- A sawed Fir stump 42" dia., bears N.46°E., 25 lks. mkd. S29 on face of opened blaze. (Mkd. by Thiel in 1904) and trees recorded by the Douglas Co. Surveyors office:
- A Cedar 24" dia., bears N.20½°E., 110 lks. with a healed blaze.
- A Fir 14" dia., bears S.46¼°E., 63 lks. with a healed blaze.
- An Ash 12" dia., bears S.24°W., 151 lks. mkd. T32S R5W S31 BT.
- A Fir 19" dia., bears N.88°W., 18 lks. with a healed blaze.

At the corner point

Set an iron post, 30 ins. long, 2 1/2 ins. dia., 26 ins. in the ground, with brass cap marked

T 32	S R 5	W
S 30	S 29	
S 31	S 32	
1962		

from which

- A Fir 8" dia., bears N.29°E., 33 lks. mkd. T32S R5W 29 BT.
- A Fir 14" dia., bears S.15°E., 47 lks. mkd. T32S R5W S32 BT.
- A Fir 8" dia., bears S.12°W., 38 lks. mkd. T32S R5W S31 BT.
- A Fir 15" dia., bears N.33°W., 80 lks. mkd. T32S R5W S30 BT.

Douglas Co. Surveyors Office - Stephen J. Flause, R.W. Smith, crew - April 30, 1987 - C.S. File 62/45-23

 Found - 1962 BLM 3¼" brass cap, properly mkd., on a 2½" O.D. Iron pipe, firmly set and protruding approx. 7" from ground.

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 29, 30, 31 and 32

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

Three inches southeast from BC is a 1½" dia. axle shaft firmly set and protruding approx. 1 ft. above ground. Axle shaft was found and reset with BLM brass cap in 1964 dependent resurvey. (BLM brass cap monument leans slightly North and East, distances and bearings below are measured to plumb position)
Orig. BT, a Fir 16" dia., now a rotted 31" DBH 6 ft. tall Fir stump with a 9 and other partial scribing visible on a previously opened blaze bears N.46°E., 16.5 ft. as per record. (This Fir only one found from 1900 survey and 1901 resurvey)
No evidence of other original bearing trees found.
14" Cedar now a 24" DBH Red Cedar with a fully healed single blaze bears N.20½°E., 72.7 ft.
7" Fir now a 24" DBH D.Fir with a fully healed single blaze bears S.46½°E., 41.8 ft. as per rec.
16" Ash now a 19" DBH Ash with scribing "32 5" visible in an opened and partially rehealed single blaze bears S.24°W., 99.4 ft. as per rec.
8" Fir now a 28" DBH D.Fir with a fully healed single blaze bears S.88°W., 12.6 ft. (Rec. S.88°W., 12.0 ft. possible face measurement)
8" Fir now a 17" DBH D.Fir with a fully healed single blaze bears N.29°E., 21.8 ft. as per rec.
14" Fir now a 21" DBH D.Fir with a fully healed single blaze bears S.15°E., 31.0 ft. as per 1964 rec.
8" Fir now an 18" DBH D.Fir with a fully healed single blaze bears S.12°W., 25.1 ft. as per 1964 rec.
15" Fir now a 27" DBH D.Fir with a fully healed single blaze bears N.33°W., 52.8 ft. as per 1964 record.

Monument is just East of a road running on West side of Woodford Creek and is approx. 300 ft. South of a private residence. See also M 101-16 for Donald Bentz survey and corner report.

BLM Dependent resurvey by Arthur R. Rambo, & Francis Simon Cadastral Surveyors under Group No. 2143, surveyed May 2006/Feb. 2007 - (DCSO records, Vol. 55 Page(s) 21681-2)

The cor. of secs. 29, 30, 31, and 32, monumented with an iron post 2½" dia., firmly set, projecting 8" above the ground, with brass cap (properly) mkd. from which the remains of an original bearing tree continued next page

PRIMARY CORNER DESCRIPTION Sec. Cor. for 29, 30, 31 and 32

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

A sawed decayed fir stump, 29" dia., bears N.46°E., 16.5 ft., no marks visible.
and BTs mkd. by Baker, reported by Gawron and McDonald
A cedar, 26" dia., bears N.20½°E., 72.6 ft., with a healed blaze.
A fir, 29" dia., bears S.46¼°E., 41.6 ft., with a healed blaze.
An ash, 21" dia., bears S.24°W., 99.7 ft., with fragmentary scribe marks visible on partially healed blaze.
A fir, 31" dia., bears S.88°W., 11.9 ft., with a healed blaze.
and bearing trees mkd. by Gawron and McDonald
A fir, 22" dia., bears N.29°E., 21.8 ft., with a healed blaze.
A fir, 26" dia., bears S.15°E., 31.0 ft., with a healed blaze.
A fir, 22" dia., bears S.12°W., 25.1 ft., with a healed blaze.
A fir, 32" dia., bears N.33°W., 52.8 ft., with a healed blaze.
and a bearing tree not of record
A fir, 25" dia., bears S.89°W., 31.3 ft., with a healed blaze.