

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 2; 35 & 36 of T31-5

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Original - Geo. W. Hyde, under Contract #54 dated Feb. 19, 1855 (DCSO records Vol. 19 Page(s) 7881)

Set post cor. to secs. 1, 2, 35 and 36 on SE. slope, from which

- A Laurel 5" dia., bears N.62°E., 54 lks. dist.
- A Laurel 4" dia., bears S.68°E., 18 lks. dist.
- A Laurel 4" dia., bears N.19°W., 36 lks. dist.
- A laurel 4" dia., bears S.40°W., 14 lks. dist.

BLM resurvey by Hans W. Thielsen under Group #320, Surveyed Oct/Nov. 1955 (DCSO records Vol. 28 Page(s) 11783-84)

The Sec. cor. is determined at record bearing and distance from the remaining original bearing trees:

A madrona 36" dia., bears S.40°W., 14 lks. dist., with marks S 2 uncovered.

and a bearing tree which does not agree with the record:

A Cedar 14" dia., bears S.14°E., 16 lks. dist., marked T32S R5W S1 BT. The blaze faces the remonumented corner point.

At the corner point

Set an iron post, 36 ins. long, 2 ins. diam., 30 ins. in the ground, with brass cap mkd:

T 31 S R 5 W
S 35 S 36
S 2 S 1
T 32 S
1955

from which new bearing trees:

A Red Fir 8" dia., bears N.66°E., 23 lks. dist., marked T31S R5W S36 BT.

A Cedar 16" dia., bears S.45°E., 30 lks. dist., marked T32S R5W S1 BT.

A Red Fir 14" dia., bears S.58°W., 16 lks. dist., marked T32S R5W S2 BT.

A Madrona 30" dia., bears N.31°W., 113 lks. dist., marked T31S R5W S35 BT.

Fd. Ok by M. Heimbürger, May 2005 - M146-22

BLM Dependent resurvey by Arthur R. Rambo, Cadastral Surveyor under Group No. 2707, surveyed April/May 2013 - (DCSO records, Vol. 58 Page(s) 23127-8)

The cor. of secs. 1, 2, 35, & 36, on the N. bdy. of the Tp., monumented with an iron post, 2" dia., firmly set, projecting 6 ins. above the ground, with brass cap (properly) mkd. from which an original bearing tree cont. next page

TOWNSHIP 32 RANGE 05 POINT IDENTIFIER # 600700

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 2; 35 & 36 of T31-5

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A madrone, 37" dia., bears S.34¼°W., 10.3 ft., with no scribe marks visible on open blaze. (Record, S.40°W., 9.2 ft.)

and a bearing tree mkd. by person(s) unknown

A cedar, 19" dia., bears S.14°E., 10.6 ft., with scribe marks R5W visible on open blaze.

and the remains of bearing trees mkd. by Thielsen in 1955

A sawed fir stump, 23" dia., bears N.66°E., 15.2 ft., with a healed blaze.

A cedar, 33" dia., bears S.45°E., 19.8 ft., with a healed blaze.

A fir, 35" dia., bears S.58°W., 10.6 ft., with a healed blaze.

A madrone, 34" dia., bears N.31°W., 73.8 ft., with a healed blaze. (Record, 74.6 ft.)

and a new bearing tree

A cedar, 8" dia., bears N.77°E., 29.3 ft., mkd. X at breast height, and BT at base.

Each new bearing tree has a 2½"x ¼" magnetic nail (Mag Nail) driven at the base right side-center.