

PRIMARY CORNER DESCRIPTION Sec. Cor. for 18 & 19; 13 & 24, T32-7

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by George W. Hyde and Charles H. Gardner, Deputy Surveyors, under Contract #54, dated Feb. 19, 1855 (DCSO records Vol. 20 Page(s) 8632)

Set post, cor. to secs. 13, 18, 19 and 24, on SE. slope of mountain, from which

- A Live Oak 6" dia., bears N.35°W., 3 lks. dist.
- A Live Oak 6" dia., bears N.80°E., 5 lks. dist.
- A Fir 10" dia., bears S.45°W., 7 lks. dist.
- A Fir 3" dia., bears S.22°W., 22 lks. dist.

GLO survey by W.H. Byars, under contract # 420 survey dated Sept. 16 1861 (DCSO records Vol. 20 Page(s) 8659-60)

Not being able to find old cor. or witness trees, I set a Fir post, 4½ ft. long, 4" sq., 22" in ground for the cor. to secs. 13,18, 19 and 24, mkd. T32S R6W S18 on NE. face; S19 on SE. face; S24 on SW. face; T32S R7W S13 on NW. face; 3 notches on the S. and 3 on the N. angles of same, from which

- A Laurel 8" dia. bears N.85°E., 30 lks mkd T32S R6W S18 BT
- A Laurel 6" dia. bears S.30°E., 61 lks mkd T32S R6W S19 BT
- A Pine 24" dia. bears S.70°W., 100 lks mkd T32S R7W S24 BT
- A Live Oak 5" dia. bears N.45°W., 31 lks mkd T32S R7W S13 BT

Not Fd. by John Powell, DCSO 10/1967 (added 3/28/2017) C.S. File 54/53-20 - Fd. Pine (BT?) with old cruiser mark, also hit bushy stab of live oak (BTs) Also burnt out laurel (BT?) Location tag 1958 by W.O.

BLM resurvey by G. Steven Popken, Cadastral Surveyor & James J. Carlson, under Group #884. Surveyed Sept. 1975/June 1976 (DCSO records Vol. 37 Page(s) 15313)

Point for the sec. cor., at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28" long, 2½" dia., 20" in the ground, and in a mound of stone, 2 ft. base, to top, with brass cap marked

T 32 S
R 7 W R 6 W
S 13 | S 18
S 24 | S 19
1976

from which

- A Fir 32" dia., bears N.68½°E., 81½ lks. dist. mkd. T32S R6W S18 BT.
- A Fir 20" dia., bears S.45°E., 47 lks. dist. mkd. T32S R6W S19 BT.

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 18 & 19; 13 & 24, T32-7

Alias	Description
_____	_____
Alias	Description
_____	_____
Alias	Description
_____	_____
Alias	Description
_____	_____

A Fir 28" dia., bears S.44½°W., 157½ lks. dist. mkd. T32S R7W S24 BT.
A Fir 15" dia., bears N.23½°W., 30 lks. dist., mkd. T32S R7W S13 BT.

Survey by Lloyd D. Smith, Oregon State Dept. of Forestry - Restored by James McIntosh, Engineer - Wit: David B. Buchholz and Christopher Hughes - March 13, 1978 - C.S. File 58/164 and M 71-79

Original Fir post missing, from which
8" Laurel bears N.85°E., 30 lks., now 14" x 3" high hollow root crown in Laurel clump, N.81°E., 20.0 ft.
6" Laurel bears S.30°E., 61 lks., now Laurel clump S.14½°E., 37.2 ft.
24" Pine bears S.70°W., 100 lks., now 28" x 50 ft. high snag S.70°W., 60.3 ft. horiz. measurement. Slope measurement is 100 lks. to predetermined face and 103 lks. to center of tree. Only Pine in area on steep and rocky SE. slope.
5" Live Oak bears N.45°W., 31 lks., now Live Oak clump in place.
Set 1½" x 36" galv. I.P. with 3" bronze cap mkd. "Oregon State Board of Forestry T32S R7W R6W S13 S18 S24 S19 1978 RS1101", 20" in ground, in mound of rock, and from which a:
14" Fir bears S.62°W., 10.9 ft. to face; scribed T32S R7W S24 BT, BLM face on SE side of tree, mkd. T32S R7W S13 BT.
38" Fir bears N.01°W., 59.9 ft. to face, scribed T32S R7W S13 BT.
28" Fir bears N.74½°E., 85.9 ft. to face, scribed T32S R6W S18 BT RS 1101.
19" Fir bears S.25°E., 48.7 ft. to face on BLM scribed tree, mkd. T32S R6W S19 BT.
Set 4" x 4" x 72" white painted cedar post N.73°W., 3.6 ft. from corner pipe. OSFD metal location poster on 14" Fir, S.62°W., 10.9 ft.
BLM pipe and cap S.21°W., 23.6 ft. to be obliterated by BLM.

BLM Resurvey by Lynn Roseberry Cadastral Surveyor under Group #884 - Surveyed June 1979 (DCSO records Vol. 20 Page(s) 16234-35)

The sec. cor. perpetuated and recorded by Lloyd Smith in 1978, monumented with a galv. iron pipe 1½" dia., firmly set, projecting 15" above ground and in a mound of stone, 4 ft. base to top, with properly mkd. bronze cap,
(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 18 & 19; 13 & 24, T32-7

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

from which the remains of bearing trees mkd by Byars:
A Madrone root crown in center of a clump of Madrone, size indeterminate, bears N.81°E., 30 lks. dist. (Rec. N.85°E.)
The center of a Madrone clump bears S.15°E., 56½ lks. dist. (Rec. S.30°E., 61 lks. and slope dist.)
A Ponderosa Pine snag 28" dia., bears S.70°W., 91½ lks. dist., no marks visible. This tree has been chopped and sawed into the center, destroying any possibility of finding an original blaze. (Record, and slope dist., 100 lks.)
A Live Oak clump bears N.45°W., 31 lks. dist.
and bearing trees mkd. or redescribed by Smith:
A Fir 28" dia., bears N.74½°E., 131½ lks. dist., with scribe marks T32S R6W S18 BT RS1101 visible on partially healed blaze.
A Fir 20" dia., bears S.24°E., 73 lks. dist., with scribe marks T32S R6W S19 BT visible on partially healed blaze. This tree was mkd. by Popken and Carlson in 1976.
A Fir 15" dia., bears S.63°W., 17 lks. dist., with scribe marks T32S R7W S24 BT visible on partially healed blaze. This tree was also mkd. on SE face by Popken and Carlson in 1976.
A Fir 38" dia., bears N.1°W., 92½ lks. dist., with scribe marks T32S R7W S13 BT visible on partially healed blaze.

From this point, the sec. cor. erroneously reestablished by Popken and Carlson in 1976, bears S.3°21'W., 0.355 chs. dist., monumented with an iron post, 2½" dia., firmly set, projecting 8" above ground and in a mound of stone 2 ft. base to top. mkd. and witnessed as described in the official record of the 1975-76 resurvey.
I remove the iron post, and destroy the scribe marks on the NE., SW., and NW. bearing trees.
Corner is located on a steep, rocky, live oak covered SE. slope.

Cor. Fd. and used by BLM survey, Dixon and Hartly, Group #1337, Surveyed July/Sept. 1989 (DCSO records, Vol. 48 Page 18560)