

TOWNSHIP 32 RANGE 08 POINT IDENTIFIER # 400600

PRIMARY CORNER DESCRIPTION Cor. Secs 3, 4, 9 & 10

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GL0 survey by Richmond S. Dickerson, Deputy Surveyor under contract #474, dated May 10, 1883 - (DCSO records Vol. 21 Page(s) 8810)

Set a stone 14x10x8", 10" in the ground marked with five notches on the S & # notches on the E for the cor. to secs. 3, 4, 9, & 10, from which
A pine, 30" dia., bears N.11°E., 635 lks., mkd: T32S R8W S3 BT.
A pine, 36" dia., bears S.20°E., 24 lks., mkd: T32S R8W S10 BT.
A pine, 40" dia. bears S.56°W. 66 lks. mkd: T32S R8W S9 BT
A pine, 48" dia., bears N.79°W., 208 lks., mkd: T32S R8W S4 BT.

Douglas Co. Surveyors Office - John M. Powell - 3/26/1968 - C.S. File 54/65-8 & C.S. File 54/65-11 3/27/1970

Reported as not found.
Found - 3 pines, 1 live, 1 down, 1 burnt stump
Fit bearing & distances.
Cut very large opening in live tree. Nothing
Tore down tree completely apart (Nothing)
These are probably BTs but were probably bark scribed.

BLM dependent resurvey by Lynn M. Roseberry and Rollin D. Aanrud, Cadastral Surveyors, Group #821 & 876, surveyed July 1973/July 1975 - (DCSO records Vol. 40 Page(s) 15991)

The cor. of secs. 3, 4, 9, & 10, determined at record bearing and distance from the remains of the original BTs:
A ponderosa pine, 39" dia., bears S.20°E., 24 lks., no marks visible on opened blaze.
A decayed ponderosa pine stump, bears S.56°W., 66 lks., no mark visible.
A decayed ponderosa pine stump, size indeterminate, bears N.79°W., 208 lks., no marks visible.
At the corner point
Set an iron post, 28" long, 2½" dia., 22" in the ground, with brass cap mkd.
T32S R8W
S 4 | S 3
S 9 | S 10
1975
from which
A fir, 23" dia. bears N.55°E., 27 lks. mkd: T32S R8W S3 BT
A fir, 12" dia., bears S.58½°E., 54 lks., mkd: T32S R8W S10 BT.
continued next page

TOWNSHIP 32 RANGE 08 POINT IDENTIFIER # 400600

PRIMARY CORNER DESCRIPTION Cor Secs 3, 4, 9 & 10

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

A fir, 15" dia. bears S.61°W., 19 lks. mkd: T32S R8W S9 BT
A fir, 18" dia. bears N.12½°W. 28 lks. mkd: T32S R8W S4 BT

Fd. Ok by R. Quimby, 3/2002 - M139-64 A&B

BLM dependent resurvey by Terrence O. Nickerson, Cadastral Surveyor under Group #2004, survey March/Oct. 2002 - (DCSO records Vol. 54 Page(s) 21095)

The cor. of secs. 3, 4, 9, & 10, monumented with an iron post, 2½" dia., firmly set, projecting 4" above the ground, with brass cap (properly) mkd.

from which the remains of the original bearing trees

A ponderosa pine, 52" dia., bears S.20° E., 17.4 ft., with no marks visible on open blaze. (Record, 15.8 ft.)

A decayed pine stump, size indeterminate, bears S.56° W., 43.6 ft., no marks.

A root hole, bears N.79°W., 137.3 ft.

and bearing trees mkd. by Roseberry and Aanrud

A fir, 31" dia., bears N.55°E., 17.8 ft., with healed blaze.

A fir, 14" dia., bears S.58½°E., 35.6 ft., with healed blaze.

A fir, 22" dia., bears S.61°W., 12.5 ft., with healed blaze.

A fir, 24" dia., bears N.12½°W., 18.5 ft., with healed blaze.

Fd. Ok by M. Smalley, 4/2003 - M143-2

DCSO-GIS Corner visitation - 1/29/2004 - Typed: 2/10/2011 - C.S. File 67/33-1

Monument - 2½" IP/BC Comment - ok

Douglas Co. Surveyor's Office - Crew: Stephen J. Flause and Jeff Lorsung - 3/4/2026 - C.S. File 67/62-19

Found - ¾" BLM brass cap proj. 5".

T32S R8W
S 4 | S 3
S 9 | S 10
1975

53" P. Pine S.23°E. 18.5 ft. (Rec. S.20°E. 17.4 ft.)
No marks on open blaze.

Very rotted 30" x 1½ ft. pine stump S.56°W. 43.6 ft.

Continued next page

TOWNSHIP 32 RANGE 08 POINT IDENTIFIER # 400600

PRIMARY CORNER DESCRIPTION Cor. Secs. 3, 4, 9 & 10

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

36" D. Fir N.53°E. 17.8 ft. healed blaze.
20" D. Fir S.58½°E. 35.0 ft. (Rec. 35.6 ft.)
27" D. Fir S.61°W. 12.5 ft. healed blaze.
30" D. Fir N.12½°W. 18.0 ft. (Rec. 18.5 ft.)
healed blaze.
A galv. Post East 1.8 ft.
Add 3½" mag nail right side center to live BTs.
Notes - Mon. is 75 ft. north of gravel road.
Mon. on moderate S.W. slope S.E. quadrant is older
clearcut, rest is old thinned forest.
Compass decl. 14¼°E.
TRIMBLE GEO XT POSITION
42°.81092025 N. 123°.64184324 W.