

Subdivisions of T. 20 S., R. 11 W.

CHAINS

A hemlock, 24 ins. dia., bears S.53°W., 23 lks. dist., marked T 20 S R 11 W S 28 B T.
 A hemlock, 12 ins. dia., bears N.53°W., 14 lks. dist., marked T 20 S R 11 W S 21 B T.

N.89°20'E., on random line, bet. secs. 22 & 27.
 Va.20°10'E.

40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.80 Intersect N. & S. line, 50 lks. N. of cor. to secs. 22, 23, 26 & 27.

May 16th, 1892.

Thence I run

S.89°41'W., on true line, bet. secs. 22 & 27.
 Var.20°20'E.

.75 Leave bottom; begin ascent of NE. slope.
 9.50 Top of spur, bears N. & S.; begin descent of NW. slope. +275
 16.00 A gulch, course N.; ascend. -200
 17.50 Top of spur, bears NW. & SE.; descend. +50
 21.50 A creek, 5 lks. wide, course NE.; ascend SE. slope. -200
 35.00 Top of spur, bears NE. & SW.; descend. +175
 40.40 Set a post, 3 ft. long, 3 ins. sq., 18 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S on N. face; from which
 An alder, 24 ins. dia., bears N.87°E., 97 lks. dist., marked $\frac{1}{4}$ S B T.
 An elder, 3 ins. dia., bears S.36°W., 4 lks. dist., marked $\frac{1}{4}$ S B T.
 40.90 A branch, 3 lks. wide, course SE.; begin steep ascent.
 50.00 Top of flat ridge, bears N. & S. +300
 62.50 Begin gradual descent of SW. slope.
 80.80 The cor. to secs. 21, 22, 27 & 28. -200

N.0°2'W., bet. secs. 21 and 22.
 Var.20°14'E.

Descend.

2.50 A gulch, course W.