

Subdivisions of T. 20 S., R. 11 W.

CHAINS	A fir, 30 ins. dia., bears N.58°W., 45 lks. dist., marked $\frac{1}{2}$ S B T.	
	From the cor. of secs. 9, 10, 15, and 16, I run N.0°2'W., bet. secs. 9 & 10. Var.20°10'E.	
4.00	A dry ravine, course W.	-50
8.50	A flat, bears E. & W.	+60
12.50	Leave flat; begin descent.	
20.10	A canyon, course NW.	-160
23.50	A canyon, course W.; ascend.	
28.00	Top of spur, bears E. & W.; descend.	+80
30.75	A canyon, course NW.; ascend.	-120
35.50	Top of spur, bears NW. & SE.	+85
40.00	An alder, 4 ins. dia., which I marked $\frac{1}{2}$ S on W. side, for $\frac{1}{4}$ sec. cor.; from which An alder, 8 ins. dia., bears S.13°W., 32 lks. dist., marked $\frac{1}{2}$ S B T. An alder, 4 ins. dia., bears N.31°E., 14 lks. dist., marked $\frac{1}{2}$ S B T.	
41.00	A canyon, course NW.; ascend.	-125
45.00	Top of spur, bears E. & W.	+50
45.50	A gulch, course W.; ascend.	-40
49.50	Top of spur, bears E. & W.	+50
52.50	Enter bottom, bears SW.	-80
53.00	A creek, 20 lks. wide, course SW.	
57.50	Leave bottom; begin ascent of burnt mountain.	
68.25	Top of ridge, bears NE. & SW.; descend.	+300
70.75	Top of spur, bears SE. & NW.; descend NE. slope.	-80
78.00	A canyon, course SE.; ascend.	-85
80.00	Set a post, 4 ft. long, 4 ins. sq., 24 ins. in the ground, for cor. to secs. 3, 4, 9 and 10, marked T 20 S S 3 on NE., R 11 W S 10 on SE., S 9 on SW., S 4 on NW. face, with 5 notches on S. and 3 notches on E. edges; from which A fir, 30 ins. dia., bears N.31°E., 110 lks. dist.,	