

Subdivisions of T. 20 S., R. 11 W.

CHAINS		
	for $\frac{1}{4}$ sec. cor.; from which	
	A maple, 24 ins. dia., bears N.32°W., 20 lks. dist., marked $\frac{1}{4}$ S B T.	
	A leaning elder, 4 ins. dia., bears N.45°E., 3 lks. dist., marked $\frac{1}{4}$ S B T.	
41.00	A branch, 2 lks. wide, course E.; begin steep ascent.	-150
49.00	Top of ridge, bears E. & W.; descend.	+250
58.50	A branch, 3 lks. wide, course NE.	-400
62.00	Top of spur, bears E. & W.; steep descent.	+200
68.20	A branch, course SE., 8 lks. wide; begin ascent of W. slope.	-400
76.00	Enter a fine timber flat.	+200
80.00	A hemlock, 8 ins. dia., which I marked T 20 S S 28 on NE., R 11 W S 33 on SE., S 32 on SW., S 29 on NW. sides, with 1 notch on S. and 4 notches on E. sides, for cor. to secs. 28, 29, 32 & 33; from which	
	A spruce, 24 ins. dia., bears N.60°E., 60 lks. dist., marked T 20 S R 11 W S 28 B T.	
	A fir, 48 ins. dia., bears S.46°E., 9 lks. dist., marked T 20 S R 11 W S 33 B T.	
	A hemlock, 15 ins. dia., bears S.13°W., 59 lks. dist., marked T 20 S R 11 W S 32 B T.	
	A hemlock, 8 ins. dia., bears N.66 $\frac{1}{2}$ °W., 24 lks. dist., marked T 20 S R 11 W S 29 B T.	
	May 26th, 1892.	
	East, on a random line, bet. secs. 28 & 33.	
	Var.20°20'E.	
40.00	Set temp. $\frac{1}{4}$ sec. cor.	
80.36	Intersect N. & S. line, 28 lks. N. of cor. to secs. 27, 28, 33 & 34.	
	Thence I run	
	N.89°48'W., on true line, bet. secs. 28 & 33.	
	Var.20°10'E.	
	Through an alder flat, slowly ascending.	