

Subdivisions of T. 20 S., R. 11 W.

CHAINS		
52.50	Top of dividing ridge, bears E. & W.; descend middle of spur, bears S.25°E. & N.25°W.	+250
69.00	A branch, 2 lks. wide, course NW.; descend W. slope.	-800
80.00	A spruce, 48 ins. dia., which I marked for cor. to secs. 20, 21, 28 & 29, T 20 S S 21 on NE., R 11 W S 28 on SE., S 29 on SW., S 20 on NW. sides, with 2 notches on S. and 4 notches on E. sides; from which An alder, 12 ins. dia., bears N.48°E., 40 lks. dist., marked T 20 S R 11 W S 21 B T. A spruce, 9 ins. dia., bears S.28°W., 19 lks. dist., marked T 20 S R 11 W S 29 B T. An alder, 3 ins. dia., bears S.80°E., 136 lks. dist., marked T 20 S R 11 W S 28 B T. A fir, 4 ins. dia., bears N.87°W., 151 lks. dist., marked T 20 S R 11 W S 20 B T.	
	S.89°48'E., on random line, bet. secs. 21 & 28. Var.20°20'E.	
40.00	Set temp. $\frac{1}{2}$ sec. cor.	
80.64	Intersect N. & S. line, 35 lks. S. of cor. to secs. 21, 22, 27 & 28. S.89°57'W., on true line, bet. secs. 21 & 28. Var.20°10'E.	
	Descend.	
11.50	A canyon, course S.; ascend.	-120
23.75	Top of spur, bears N. & S.; descend.	+150
40.32	Set a post, 3 ft. long, 3 ins. sq., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{2}$ S on N. face; from which An alder, 4 ins. dia., bears N.27°E., 63 lks. dist., marked $\frac{1}{4}$ S B T. A chittem, 3 ins. dia., bears S.54°W., 57 lks. dist., marked $\frac{1}{4}$ S B T.	
42.00	A branch, 3 lks. wide, course S.; ascend.	-200
49.50	Top of ridge, bears SW. & NE.; descend.	+250
61.00	A branch, 3 lks. wide, course W.; line follows this down.	-160