

Subdivisions of T. 20 S., R. 10 W.

CHAINS	
2.00	Smiths River, 390 lks. wide, runs SW. Set meander post on left bank; from which A maple, 11 ins. dia., bears N.65°E., 67 lks. dist. A maple, 10 ins. dia., bears S.75°E., 44 lks. dist.
5.90	Right bank and set meander post; from which A willow, 7 in. dia., bears S.50°W., 25 lks. dist. A willow, 4 ins. dia., bears N.10°E., 8 lks. dist. Feb. 11th, 1867.
39.90	Set stone, 20x12x4, for $\frac{1}{4}$ sec. corner. Ascend hill along south slope.
79.80	The corner to secs. 28, 29, 32 & 33.
	North between secs. 31 & 32. Va.19°East:
40.00	Set post for $\frac{1}{4}$ sec. corner; from which A hemlock, 30 in. dia., bears S.35°W., 35 lks. dist. A hemlock, 36 ins. dia., bears S.32°E., 214 lks. dist.
73.60	Creek, 12 lks. wide, runs West.
74.40	Creek, 12 lks. wide, runs NW. Ascend hill.
80.00	Set stone, 15x12x4, for corner to secs. 29, 30, 31 & 32; from which A maple, 12 in. dia., bears N.45°W., 33 lks. dist. Feb. 12th, 1867.
	East, on a random line, between secs. 29 & 32.
40.00	Set temporary $\frac{1}{4}$ sec. corner.
79.76	Intersect 34 lks. South of corner to secs. 28, 29, 32 & 33, from which I run S.89°45'W., on a true line, between secs. 29 & 32.
39.88	Set $\frac{1}{4}$ sec. post; from which A hemlock, 10 ins. dia., bears N.15°E., 20 lks. dist. A hemlock, 9 ins. dia., bears S.15°W., 14 lks. dist. Descend hill along South slope.
79.76	The corner to secs. 29, 30, 31 & 32.