

West Bdy. of T. 20 S., R. 9 W.

CHAINS		
27.00	Top of spur.	+120
29.50	Canyon, c SW.	-120
34.00	Top of spur; keep on ascending.	+150
40.00	Set a cedar post for $\frac{1}{4}$ sec. corner; from which A fir, 40 in. dia., bears S.86 $\frac{1}{2}$ °E., 60 lks. dist. An alder, 15 ins. dia., bears S.26 $\frac{1}{2}$ °W., 44 lks. dist.	
44.00	Top of ridge, course SW. and NE.; commence descending.	+300
68.85	Enter cleared bottom.	-600

June 5th.

72.95	Right bank of Smiths River, course W., about 3 chs. wide. Sight S. to a fir, 16 in. dia., on top of a bluff, 120 ft. high; lay off base East 1.00 ch., from whence sight tree bears S.12°50'W., making 4.39 chs. to sight.	
77.34	Tree.	+120
80.00	Set a cedar post as corner for secs. 31, 36, 6 and 1, T. 20 and 21 S., Rs. 9 and 10 W.; from which A fir, 24 in. in dia., bears N.32 $\frac{1}{2}$ °W., 65 lks. dist. A maple, 14 in. dia., bears N.64°E., 74 lks. dist. A maple, 12 in. dia., bears S.12 $\frac{1}{2}$ °E., 49 lks. dist. A fir, 36 in. dia., bears S.33 $\frac{1}{2}$ °W., 44 lks. dist.	+80

Subdivisions of T. 20 S., R. 10 W.
Survey by Wm. Thiel under Contract 260 dated Apr. 17, 1877.

Commencing at $\frac{1}{4}$ sec. post bet. secs. 27 and 28, T. 20 S., R. 10 W.; from which
An alder, 15 in. dia., bears S.7°W., 11 lks.
An alder, 18 ins. dia., bears S.45°E., 10 lks.
agreeably to field notes furnished by your office. The old post is still standing, but I placed a new one alongside of it.

I run thence on line between secs. 27 and 28.
North. Var. 19°35' East.
Continue descent.

42.70	Branch, c E., 2 lks. wide.	-150
44.20	Branch, c E., 1 lk. wide; commence ascent.	