

Subdivisions of T. 19 S., R. 10 W.

CHAINS

- 100 ft. to
- 27.05 Ravine, course SE.; ascend.
- 40.02 Set a fir post, 3 ft. long, 3 ins. sq., 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S 24 on N. and 25 on S. faces; from which
  - A fir, 4 ins. diam., bears N.7°E., 15 lks. dist., marked  $\frac{1}{4}$  S B T.
  - A fir, 5 ins. diam., bears S.8°E., 20 lks. dist., marked  $\frac{1}{4}$  S B T.
- The old  $\frac{1}{4}$  sec. cor. bears S. 5 lks. dist.; I destroy it.
- 47.50 Top of spur, 150 ft. above ravine, bears SE.; descend 100 ft. to
- 80.04 The cor. of secs. 23, 24, 25, and 26.

- 
- N.0°01'W., bet. secs. 23 and 24.
  - Descend through burnt timber and brush.
  - 17.10 Ravine, 150 ft. below sec. cor., course SE.; ascend.
  - 40.00 Set an alder post, 3 ft. long, 3 in. sq., 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S 23 on W. and 24 on E. faces; from which
    - An alder, 6 ins. diam., bears N.10°E., 14 lks. dist., marked  $\frac{1}{4}$  S B T.
    - A fir, 8 ins. diam., bears S.4°W., 20 lks. dist., marked  $\frac{1}{4}$  S B T.
  - The old cor. bears S.70°E., 10 lks. dist.; I destroy it.
  - 67.00 Top of spur, 200 ft. above ravine, bears SE.; descend 100 ft. to
  - 75.20 Ravine, course SE.; ascend 75 ft. to
  - 80.00 The cor. of secs. 13, 14, 23, & 24, established on former survey, which is a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, marked T 19 S S 13 on NE., R 10 W S 24 on SE., S 23 on SW. and S 14 on NW. faces, with 3 notches on S. and 1 notch on E. edges; from which
    - A fir, 7 ins. diam., bears N.16°E., 25 lks. dist., marked T 19 S R 10 W S 13 B T.