

Subdivisions of T. 19 S., R. 10 W.

CHAINS	
78.00	Enter heavy timber, bears E. and W.
80.00	150 ft. below summit of ridge. Set a hemlock post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for cor. of secs. 1, 2, 11, & 12, marked T 19 S S 1 on NE., R 10 W S 12 on SE., S 11 on SW. and S 2 on NW. faces, with 5 notches on S. and 1 notch on E. edges; from which A hemlock, 18 ins. diam., bears N.24°E., 37 lks. dist., marked T 19 S R 10 W S 1 B T. A fir, 16 ins. diam., bears S.13°E., 18 lks. dist., marked T 19 S R 10 W S 12 B T. A fir, 20 ins. diam., bears S.68°W., 22 lks. dist., marked T 19 S R 10 W S 11 B T. A fir, 12 ins. diam., bears N.11°W., 27 lks. dist., marked T 19 S R 10 W S 2 B T.
	N.89°48'E., on a random line, bet. secs. 1 & 12.
40.00	Set a temp. $\frac{1}{4}$ sec. cor.
80.26	Intersect the E. bdy. of Tp., 30 lks. N. of the cor. of secs. 1 and 12. Thence I run N.89°59'W., bet. secs. 1 and 12. Ascend through burnt timber and dense undergrowth.
17.00	Divide bet. N. Fork of Smith River and Sweet Creek, 200 ft. below sec. cor., bears NE. and SW.; descend 250 ft. to
37.75	Sweet Creek, 3 lks. wide, course NW.; ascend over spurs and ravines, along north slope.
40.13	Set a sandstone, 12x12x5 ins., 8 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked with $\frac{1}{4}$ on N. face; from which A fir, 16 ins. diam., bears N.64°W., 33 lks. dist., marked $\frac{1}{4}$ S 1 B T. An alder, 5 ins. diam., bears S.74°E., 30 lks. dist., marked $\frac{1}{4}$ S 12 B T. The old $\frac{1}{4}$ sec. cor. bears S.30°W., 2.00 chs. dist.; I destroy it,