

## Subdivisions of T. 19 S., R. 10 W.

CHAINS

23, 24, 25 &amp; 26.

Thence I run

S.89°59'W., on a true line, bet. secs. 23 &amp; 26.

Ascend through burnt timber and dense undergrowth.

15.00 Top of spur, 150 ft. above sec. cor., bears SE.; descend  
100 ft. to

33.90 Ravine, course S.; ascend.

40.00 Set an alder post, 3 ft. long, 3 ins. sq., 24 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S 23 on N. & 26 on S.  
faces; from which

An alder, 5 in. diam., bears N.50°E., 25 lks. dist.,  
marked  $\frac{1}{4}$  S B T.

An alder, 6 ins. diam., bears S.5°E., 12 lks. dist.,  
marked  $\frac{1}{4}$  S B T.

Old cor. bears N., 6 lks. dist.; I destroy it.

47.50 Top of spur, 125 ft. above last ravine, bears SW.; de-  
scend 100 ft. to

63.00 Ravine, course SW.; ascend 150 ft. to

80.00 The cor. of secs. 22, 23, 26 & 27.

---

N.0°02'W., bet. secs. 22 & 23.

Ascend through small fir timber.

15.00 Top of spur, 150 ft. above sec. cor., bears SW.; descend  
150 ft. to

30.90 Ravine, course SW.; ascend.

40.00 Set an alder post, 3 ft. long, 3 ins. sq., 24 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S 22 on W. and 23 on  
E. faces; from which

An alder, 6 ins. diam., bears N.13°E., 14 lks. dist.,  
marked  $\frac{1}{4}$  S B T.

An alder, 6 ins. diam., bears S.11°W., 20 lks. dist.,  
marked  $\frac{1}{4}$  S B T.

Old  $\frac{1}{4}$  sec. cor. bears E., 10 lks. dist.; I destroy it.

60.00 Top of spur, 200 ft. above ravine, bears SE.; descend