

293

Subdivisions of T. 19 S., R. 10 W.

CHAINS

marked $\frac{1}{4}$ S 22 E T.

The old cor. bears S.20°W., 10 lks. dist.; I destroy it.

52.00 Ravine, 200 ft. below summit, bears NE.; ascend 150 ft. to

80.12 The cor. of secs. 15, 16, 21 & 22.

July 26, 1899.

N.0°02'W., bet. secs. 15 & 16.

Descend through burnt timber and dense undergrowth.

15.00 Ravine, 150 ft. below sec. cor., course NE.; ascend 100 ft. to

31.25 Top of spur, bears NE.; descend.

40.00 Set a fir post, 3 ft. long, 3 ins. sq., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S 16 on W. and 15 on E. faces; from which

A fir, 4 ins. diam., bears N.12°W., 20 lks. dist., marked $\frac{1}{4}$ S B T.

A fir, 4 ins. diam., bears S.16°E., 19 lks. dist., marked $\frac{1}{4}$ S B T.

The old cor. bears S.75°W., 18 lks. dist.; I destroy it.

63.10 Ravine, 175 ft. below spur, course NE.; ascend 200 ft. to

80.00 Summit of ridge, bears NE. & SW. and bends to NW.

Set a sandstone, 16x8x6 ins., 12 ins. in the ground, for cor. of secs. 9, 10, 15 & 16, marked with 4 notches on S. and 3 notches on E. edges; and raised a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. Pits impracticable, no trees in limits.

The old cor. bears S.30°W., 20 lks. dist.; I destroy it.

East, on a random line, bet. secs. 10 and 15.

40.00 Set a temp. $\frac{1}{2}$ sec. cor.

79.98 Intersect N. & S. line, 19 lks. S. of the cor. of secs. 10, 11, 14 & 15.

Thence I run

S.89°52'W., on a true line, bet. secs. 10 and 15.