

## County Surveyor's Record, Douglas County, Oregon

## Subdivisions of T. 19 S., R. 10 W.

CHAINS	
	Descend through burnt timber and dense undergrowth, along N. slope.
6.10	Spring branch, 1 lk. wide, course NW., 75 ft. below sec. cor.; ascend 100 ft. to
16.75	Top of spur, bears N.; descend.
39.99	Set a fir post, 3 ft. long, 3 ins. sq., 24 ins. in the ground, marked $\frac{1}{4}$ S 10 on N. and 15 on S. faces; from which
	A fir, 4 ins. diam., bears N.13°E., 15 lks. dist., marked $\frac{1}{4}$ S B T.
	A fir, 4 ins. diam., bears S.80°W., 18 lks. dist., marked $\frac{1}{4}$ S B T.
	The old cor. bears S.30°W., 15 lks. dist.; I destroy it.
46.15	Ravine, 150 ft. below spur, course NE.; ascend 200 ft. to
79.98	The cor. of secs. 9, 10, 15, and 16.
From the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., which is a fir tree, marked and witnessed as described by the surveyor general; thence I run N.0°03'W., bet. secs. 32 and 33.	
Over bottom land, through burnt timber and dense undergrowth.	
8.00	North Fork of Smith River, 130 lks. wide, course SW.
10.50	Trail, bears NE. & SW.
17.05	North Fork of Smith River, course SE.
33.00	Leave bottom, bears NE. & SW.; ascend.
40.00	The $\frac{1}{4}$ sec. cor. established on former survey, which is a sandstone, 15x10x6 ins., 11 ins. in the ground, marked $\frac{1}{4}$ on N. face; from which
	A fir, 14 ins. diam., bears S.45°E., 15 lks. dist., marked $\frac{1}{4}$ S 33 B T.
	A fir, 16 ins. diam., bears S.9°W., 5 lks. dist., marked $\frac{1}{4}$ S 32 B T.
53.50	Top of spur, 200 ft. above ravine, bears E.; descend 100