

Subdivisions of T. 19 S., R. 10 W.

CHAINS

ft. to

- 80.00 The cor. of secs. 28, 29, 32 & 33, established on former survey, which is a post, 3 ft. long, 4 ins. sq., set 24 ins. in the ground, marked T 19 S S 28 on NE., R 10 W S 33 on SE., S 32 on SW. and S 29 on NW. faces, with 1 notch on S. and 4 notches on E. edges; from which
- An alder, 6 ins. diam., bears N.45°E., 39 lks. dist., marked T 19 S R 10 W S 28 B T.
- An alder, 6 ins. diam., bears S.49°E., 54 lks. dist., marked T 19 S R 10 W S 33 B T.
- An alder, 6 ins. diam., bears S.41°W., 54 lks. dist., marked T 19 S R 10 W S 32 B T.
- An alder, 7 ins. diam., bears N.2°W., 32 lks. dist., marked T 19 S R 10 W S 29 B T.
-
- N.89°49'E., on a random line, bet. secs. 28 and 33.
- 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
- 80.08 Intersect N. & S. line, 26 lks. N. of the cor. of secs. 27, 28, 33 & 34.
- Thence I run
- West, on a true line, bet. secs. 28 & 33.
- Ascend through burnt timber & dense undergrowth.
- 11.00 Top of spur, 200 ft. above sec. cor., bears S.; descend 100 ft. to
- 17.00 Ravine, course SE.; ascend 100 ft. to
- 22.75 Summit of ridge, bears N. & S.; descend.
- 40.04 The $\frac{1}{4}$ sec. cor. established on former survey, which is a post, 3 ft. long, 3 ins. sq., set 24 ins. in the ground, marked $\frac{1}{4}$ S 28 on N. and 33 on S. faces; from which
- A fir, 14 ins. diam., bears N.71°E., 11 lks. dist., marked $\frac{1}{4}$ S B T.
- An alder, 7 ins. diam., bears S.66°E., 67 lks. dist., marked $\frac{1}{4}$ S B T.
- 46.75 Creek, 6 lks. wide, 150 ft. below ridge, course SE.;