

Subdivisions of T. 19 S., R. 10 W.

CHAINS

From the cor. of secs. 5, 6, 31, & 32, on S. bdy. of Tp., which is a post, marked and witnessed as described by the surveyor general, thence I run N.0°04'W., bet. secs. 31 & 32.

Ascend through burnt timber & dense undergrowth.

14.00 Top of spur, 100 ft. above sec. cor., bears NE.; descend 175 ft. to

28.60 Creek, 2 lks. wide, course E.; ascend.

40.00 The $\frac{1}{4}$ sec. cor. established on former survey, which is a fir post, 3 ft. long, 3 ins. sq., set 24 ins. in the ground, marked $\frac{1}{4}$ S 31 on W. and 32 on E. faces; from which

A fir, 6 ins. diam., bears S.35°E., 30 lks. dist., marked $\frac{1}{4}$ S B T.

A fir, 9 ins. diam., bears S.11°W., 14 lks. dist., marked $\frac{1}{4}$ S B T.

52.50 Summit of divide bet. N. Fork of Smith River & Fiddle Creek, 250 ft. above creek, bears NE. & SW.; descend 250 ft. to

75.25 Fiddle Creek, 2 lks. wide, course SW.; ascend 40 ft. to

80.00 The cor. of secs. 29, 30, 31 & 32, established on former survey, which is a basalt stone, 16x10x4 ins., set 12 ins. in the ground, marked with 1 notch on S. and 5 notches on E. edges; from which

A fir, 16 ins. diam., bears N.31°E., 51 lks. dist., marked T 19 S R 10 W S 29 B T.

A fir, 20 ins. diam., bears S.61°E., 18 lks. dist., marked T 19 S R 10 W S 32 B T.

A fir, 20 ins. diam., bears S.44°W., 40 lks. dist., marked T 19 S R 10 W S 31 B T.

A fir, 15 ins. diam., bears N.10°W., 51 lks. dist., marked T 19 S R 10 W S 30 B T.

N.39°49'E., on a random line, bet. secs. 29 and 32.