

Subdivisions of T. 20 S., R. 9 W.

CHAINS		
14.50	A canyon, course W.; begin ascent.	-200
22.00	Top of spur, bears SW. & NE.	+150
31.00	A branch, 4 lks. wide, course SW.	-100
40.00	Set a sandstone, 9x9x7, 6 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; and raised a mound of stone, $1\frac{1}{2}$ ft. high and 2 ft. base, alongside. Pits impracticable.	+120
56.25	A branch, 3 lks. wide, course SW.	-90
68.00	Top of dividing ridge, bears SE. and NW.	+400
73.50	Top of spur, bears SE. and NW.; begin very steep descent.	-100
80.00	Set a sandstone, 24x18x5 ins., 18 ins. in the ground, for cor. to secs. 20, 21, 16 and 17, marked with 3 notches on S. and 4 notches on E. edges; from which A fir, 36 ins. dia., bears N.28°E., 54 lks. dist., marked T 20 S R 9 W S 16 B T. A fir, 32 ins. diam., bears S.76°E., 25 lks. dist., marked T 20 S R 9 W S 21 B T. A fir, 36 ins. diam., bears S.9°W., 13 lks. dist., marked T 20 S R 9 W S 20 B T. A fir, 30 ins. diam., bears N.27°W., 150 lks. dist., marked T 20 S R 9 W S 17 B T.	-150
<p>N.89°41'W., on random line, bet. secs. 20 and 17. Va.20°3'E.</p>		
40.00	Set temp. $\frac{1}{4}$ sec. cor.	
80.62	Intersect N. and S. line, 46 lks. S. of cor. to secs. Sept. 17th, 1891. Thence I run S.89°21'E., on true line, bet. secs. 20 and 17. Va.20°8'E.	
<p>Ascend S. slope.</p>		
5.00	A canyon, course S.; steep ascent.	+40
9.25	Top of dividing ridge, bears N. & S.	+140
36.25	A canyon, course S.; descend S. slope.	-330
40.31	A barberry, 5 ins. dia., which I marked $\frac{1}{4}$ S on N. face; from which	-100