

Subdivisions of T. 20 S., R. 9 W.

CHAINS

40.00

Set a post, 3 ft. long, 3 ins. square, 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{2}$ S on N. face; from which

A fir, 14 ins. dia., bears N.55°W., 63 lks. dist., marked $\frac{1}{4}$ S B T.

A willow, 3 ins. dia., bears S.40°E., 75 lks. dist., marked $\frac{1}{4}$ S B T.

Thence along S. slope, covered thickly by fallen timber and green small alders and firs.

49.00 Descend E. slope.

54.50 A. canyon, course SE.; follow along S. slope, through big green fir timber.

-150

58.80 A canyon, course S.; begin ascent of SW. slope.

-50

67.00 Top of rocky spur, bears E. & W.; begin descent.

92.00 Foot of mountain.

-60

94.00 Trail up and down the river; enter bottom covered by vine maple.

98.48 Intersect East boundary of township, 78 lks. S. of $\frac{1}{4}$ post bet. secs. 19 and 24, which is a post, 4 ins. sq., 24 ins. above ground, marked $\frac{1}{4}$ S on W. face; from which

An alder, 18 ins. dia., bears N.40°W., 12 lks. dist., marked $\frac{1}{4}$ S B T.

An alder, 20 ins. dia., bears S.49°E., 17 lks. dist., marked $\frac{1}{4}$ S B T.

At point of intersection I set a cedar post, for closing corner to secs. 24 and 25, 4 ft. long, 4 ins. square, 24 ins. in the ground, marked C C T 20 S S 24 on N., S 25 on S., C-C R 9 W on W. faces, with 2 notches on S. and 4 notches on N. faces; from which

An alder, 24 ins. dia., bears S.80°E., 30 lks. dist., marked T 20 S R 9 W S 24 & 25 C C B T.

An alder, 18 ins. dia., bears N.46°W., 60 lks. dist., marked T 20 S R 9 W S 24 B T.

A maple, 48 ins. dia., bears S.64°W., 106 lks. dist., marked T 20 S R 9 W S 25 B T.

Oct. 12th, 1891.