

Subdivisions of T. 20 S., R. 9 W.

CHAINS		
	N.89°24'W., on random line, bet. secs. 14 and 23.	
	Va.20°8'E.	
40.00	Set temporary $\frac{1}{4}$ sec. cor.	
80.72	Intersect N. and S. line, 48 lks. N. of cor. to secs. 14, 15, 22 and 23.	
	Thence I run	
	S.89°45'E., on true line, bet. secs. 14 and 23.	
	Var.20°2'E.	
	Descend N. slope of a canyon, bears NE.	
4.20	Foot of descent; begin ascent.	-250
12.25	Top of spur; begin steep descent.	+120
17.75	A canyon, course N.; begin ascent.	-140
20.50	Top of spur, bears N. & S.; begin descent.	+100
22.20	A canyon, course N.	-80
24.30	Top of spur, bears NW. & SE.	+60
26.50	A canyon, course NW.; begin steep ascent.	-40
33.00	Ascent moderates.	
35.50	Top of spur, bears N. & S.	+240
38.50	A gulch, course N.; begin ascent of N. slope.	-80
40.36	A cedar, 10 ins. dia., which I marked $\frac{1}{4}$ S on N. side, for $\frac{1}{4}$ sec. cor.; from which	
	A cedar, 18 ins. dia., bears S.65°E., 9 lks. dist., marked $\frac{1}{4}$ S B T.	
	A fir, 30 ins. dia., bears N.44°W., 25 lks. dist., marked $\frac{1}{4}$ S. B T.	
42.25	Top of ridge, bears NE. and SW.; descend S. slope.	+80
52.30	A swag; begin ascent of SW. slope.	-170
61.75	Top of ridge, bears E. & W.	+160
75.75	Enter a canyon, bears E.	
77.44	A cedar, 48 ins. dia., which I marked with 2 notches on E. & W. sides.	
	Descend down the canyon.	
80.72	The cor. to secs. 13, 14, 23, and 24.	

Oct. 15th, 1891.