

Subdivisions of T. 19 S., R. 9 W.

- CHAINS
17.50 Top of spur, bears SE.; descend 150 ft. to
33.15 Ravine, course SE.; ascend.
- 40.00 The $\frac{1}{4}$ sec. cor., established on former survey, which is a
post, 3 ft. long, 3 ins. sq., set 24 ins. in the ground,
marked $\frac{1}{4}$ S 20 on W. and 21 on E. faces; from which
A fir, 7 ins. diam., bears N.70°E., 29 lks. dist.,
marked $\frac{1}{4}$ S B T.
A fir, 6 ins. diam., bears N.1°W., 67 lks. dist.,
marked $\frac{1}{4}$ S B T.
- 49.00 Top of spur, 150 ft. above last ravine, bears SE.; de-
scend 100 ft. to
- 67.00 Ravine, course SE.; ascend.
- 80.00 Set a sandstone, 12x8x6 ins., 8 ins. in the ground, for
cor. to secs. 16, 17, 20 & 21, marked with 3 notches
on S. and 4 notches on E. edges; from which
A fir, 6 ins. diam., bears N.13°E., 21 lks. dist.,
marked T 19 S R 9 W S 16 B T.
A fir, 4 ins. diam., bears S.8°E., 30 lks. dist.,
marked T 19 S R 9 W S 21 B T.
A fir, 6 ins. diam., bears S.20°W., 15 lks. dist.,
marked T 19 S R 9 W S 20 B T.
A fir, 8 ins. diam., bears N.28°W., 20 lks. dist.,
marked T 19 S R 9 W S 17 B T.
Old cor. bears E., 20 lks. dist.; I destroy it.
-
- N.89°59'W., on a random line, bet. secs. 17 and 20.
- 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
- 79.98 Intersect N. and S. line, 3 lks. N. of cor. of secs. 17,
18, 19 & 20.
Thence I run
E., on a true line, bet. secs. 17 & 20.
Ascend through timber, partly burnt, and dense under-
growth.
- 18.00 Top of ridge, 200 ft. above sec. cor., bears N. and S.;
descend 150 ft. to