

Subdivisions of T. 19 S., R. 9 W.

CHAINS

marked T 19 S R 9 W S 27 B T.

A fir, 4 ins. diam., bears S.5°E., 26 lks. dist.,

marked T 19 S R 9 W S 34 B T.

A fir, 8 ins. diam., bears S.17°W., 40 lks. dist.,

marked T 19 S R 9 W S 33 B T.

A fir, 8 ins. diam., bears N.3°W., 25 lks. dist.,

marked T 19 S R 9 W S 28 B T.

West, on a random line, bet. secs. 28 and 33.

40.00 Set a temp. $\frac{1}{4}$ sec. cor.79.90 Intersect N. & S. line, 12 lks. N. of the cor. of secs.
28, 29, 32 & 33.

Thence I run

N.89°55'E., on a true line, bet. secs. 28 and 33.

Ascend through partly burnt timber and dense undergrowth.

10.50 Top of spur, 150 ft. above sec. cor., bears SW.; descend
100 ft. to

22.00 Ravine, course SW.; ascend 150 ft. to

37.00 Top of spur, bears SW.; descend.

39.95 Set a fir post, 3 ft. long, 3 ins. sq., set 24 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S 28 on N. and 33
on S. faces; from whichA fir, 6 ins. diam., bears N.37°E., 40 lks. dist.,
marked $\frac{1}{4}$ S B T.A fir, 6 ins. diam., bears S.42°W., 33 lks. dist.,
marked $\frac{1}{4}$ S B T.

Old cor. bears S., 4 lks. dist.; I destroy it.

61.10 Ravine, 200 ft. below spur, course NW.; ascend.

79.90 The cor. of secs. 27, 28, 33, and 34.

N.0°02'E., bet. secs. 27 and 28.

Ascend through timber, partly burnt, and dense undergrowth.

10.00 Top of spur, 100 ft. above sec. cor., bears E.; descend
200 ft. to

22.55 Spring branch, 1 lk. wide, course NE.; ascend.