

Subdivisions of T. 19 S., R. 9 W.

| | |
|-----------------|--|
| CHAINS 36.10 | Creek, 2 lks. wide, course SE.; ascend. |
| 40.05 | Set a basalt stone, 20x12x8 ins., .15 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; from which A fir, 5 ins. diam., bears N.9°W., 150 lks. dist., marked $\frac{1}{4}$ S 23 B T. A fir, 6 ins. diam., bears S.30°W., 40 lks. dist., marked $\frac{1}{4}$ S 26 B T. The old cor. bears S.60°E., 9 lks. dist.; I destroy it. |
| 50.00 | Top of spur, 150 ft. above creek, bears SE.; descend 200 ft. to |
| 70.95 | Creek, 5 lks. wide, course SE.; ascend. |
| 80.10 | The cor. of secs. 23, 24, 25, and 26. <hr/> East, on a true line, bet. secs. 24 and 25. Descend through partly burnt timber and dense undergrowth. |
| 12.06 | Creek, 2 lks. wide, 125 ft. below sec. cor., course SW.; ascend 150 ft. to |
| 24.50 | Top of spur, bears SW.; descend. |
| 40.00 | The $\frac{1}{4}$ sec. cor., established on former survey, which is a basalt stone, 16x7x7 ins., 12 ins. in the ground, marked $\frac{1}{4}$ on N. face; from which A fir, 6 ins. diam., bears N.75°W., 14 lks. dist., marked $\frac{1}{4}$ S 24 B T. A fir, 5 ins. diam., bears S.7°E., 23 lks. dist., marked $\frac{1}{4}$ S 25 B T. |
| 68.50 | Creek, 2 lks. wide, 200 ft. below spur, course SE.; ascend 200 ft. to |
| 80.00 | Top of spur, bears SE.; descend. |
| 100.10 | Intersect the W. bdy. of Tp. 19 S., R. 8 W., at the closing cor. of secs. 24 and 25, established on former survey, which is a basalt stone, 16x10x8 ins., 12 ins. in the ground, marked C C on W. face, with 2 notches on S. and 4 notches on N. edges; from which A fir, 8 ins. diam., bears N.25°W., 30 lks. dist., marked T 19 S R 9 W S 24 B T. A fir, 7 ins. diam., bears S.37°W., 21 lks. dist., |