

West Bdy. of T. 20 S., R. 7 W.

CHAINS

A maple, 12 ins. diam., bears N.62°E., 41 lks. dist.,
marked T 20 S R 7 W S 19 B T.

A fir, 24 ins. dia., bears S.74°W., 33 lks. dist.,
marked T 20 S R 8 W S 24 B T.

A fir, 18 ins. dia., bears N.60°W., 68 lks. dist.,
marked T 20 S R 8 W S 13 B T.

The true course of the E. bdy. of S. 24 is therefore
N.1°E.

I here offset E. to cor. 140 lks.

Sept. 15, 1891.

I run N. on E. bdy. Sec. 13, T. 20 S., R. 8 W.

Va.21°E.

9.00	Spur, c W.	+60
18.00	Stream, 2 lks. wide, c NW.	-50
19.55	Stream, 4 lks. wide, c SW.	
40.00	To a point 73 lks. West of a post, 4 ins. dia., firmly set in the ground, marked $\frac{1}{4}$ S on W. face; from which A fir, 48 ins. dia., bears N.12°E., 25 lks. dist., marked $\frac{1}{4}$ S B T. A fir, 45 ins. dia., bears N.67°W., 28 lks. dist., marked $\frac{1}{4}$ S B T.	
74.75	Stream, 2 lks. wide, c NW.	-150
77.00	Stream, 16 lks. wide, c W.; ascend.	-30
79.80	To a point 140 lks. West of a post set firmly in the ground, for cor. to secs. 12 & 13, 5 ins. dia., marked T 20 S R 7 W S 18 on E., T 20 S R 8 W S 13 on SW., S 12 on NW. faces, with 2 notches on N. & 4 notches on S. edges; from which A cedar, 45 ins. dia., bears N.25°W., 12 lks. dist., marked T 20 S R 8 W S 12 B T. A fir, 40 ins. dia., bears S.85°E., 25 lks. dist., marked T 20 S R 7 W S 18 B T. A maple, 28 ins. dia., bears S.61°W., 17 lks. dist., marked T 20 S R 8 W S 13 B T.	