

Subdivisions of T. 20 S., R. 7 W.

CHAINS

- 3.50 Haney Creek, c NE., 11 lks. wide.
- 30.00 E. fork of Haney Creek, c S.25°W., 6 lks. wide.
- 38.00 Stream, 1 lk. wide, c S.25°E.; ascend.
- 40.00 Set sandstone, 20x14x4 ins., 15 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; from which
 A cedar, 48 ins. dia., bears N.80°E., 80 lks. dist., marked $\frac{1}{4}$ S B T.
 A fir, 36 ins. dia., bears N.48°W., 20 lks. dist., marked $\frac{1}{4}$ S B T.
- 48.00 Point of spur, c E. +100
- 53.00 Canyon, c N.50°E. -75
- 54.00 Stream, 2 lks. wide, c S.75°E.
- 64.50 Divide bet. Siuslaw River and Haney Creeks, c E. & W.
- 80.00 Set sandstone, 20x16x8 ins. and marked a large solid sandstone in place in the bottom of hole dug to set stone in, with cross (x), the ground being solid stone, at a depth of 10 ins.; it was impracticable to set cor. stone deeper for cor. to secs. 10, 11, 14 & 15; marked with 4 notches on S. & 2 notches on E. edges; from which
 A fir, 40 ins. dia., bears N.89 $\frac{1}{2}$ °E., 94 lks. dist., marked T 20 S R 7 W S 11 B T.
 A fir, 24 ins. dia., bears S.5°E., 137 lks. dist., marked T 20 S R 7 W S 14 B T.
 A madrone (arbutus), 5 ins. dia., bears S.26°W., 18 lks. dist., marked T 20 S R 7 W S 15 B T.
 A fir, 60 ins. dia., bears N.2°W., 13 lks. dist., marked T 20 S R 7 S 10 B T.

Oct. 4, 1891.

N.89°E., on random line, bet. secs. 11 & 14.

Va.20°45'E.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.