

Subdivisions of T. 20 S., R. 7 W.

CHAINS		
79.40	Intersect N. & S. line at cor. to secs. 11, 12, 13 & 14. Thence I run S.89°W., on true line, bet. secs. 11 & 14. Va.20°45'E.	
18.50	Top of divide, c SE. & NW.; thence along S. slope.	
39.70	Set sandstone, 22x14x7 ins., 16 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked $\frac{1}{2}$ S on N. face; from which A fir, 48 ins. dia., bears S.20°E., 47 lks. dist., marked $\frac{1}{2}$ S B T. A fir, 40 ins. dia., bears N.27°E., 94 lks. dist., marked $\frac{1}{2}$ S B T.	
70.00	Top of divide, N.75°E.	+100
73.75	Fir, 96 ins. dia., marked with 2 notches on N. & S. sides.	
75.25	Spur, c N.30°W.; descend.	
79.40	The cor. to secs. 10, 11, 14 & 15. Oct. 4, 1891.	
<hr/>		
	From cor. to secs. 33 & 34, on the S. bdy. of the town- ship, I run N.0°2'W., on a true line, bet. secs. 33 & 34. Va.21°15'E.	
9.35	A fir, 40 ins. dia., with 2 notches on N. & S. sides.	
13.85	Divide, c NE.; descend.	+200
31.50	Log on ridge, bet. 2 firs.	
40.00	Set post, 4 ft. long, 4 ins. square, 24 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked $\frac{1}{2}$ S on W. face; from which An alder, 7 ins. dia., bears S.43°E., 23 lks. dist., marked $\frac{1}{2}$ S B T. A fir, 6 ins. dia., bears N.10°W., 6 lks. dist., marked $\frac{1}{2}$ S B T. Thence along N. slope.	
54.25	A fir on line, 48 ins. dia., with 2 notches on N. & S. sides.	
68.00	Smith River, 60 lks. wide, c W.	-400