

## Subdivisions of T. 21 S., R. 7 W.

CHAINS

marked T 21 S R 7 W S 14 B T.

Fir, 6 ins. dia., bears N.50°W., 33 lks. dist.,

marked T 21 S R 7 W S 11 B T.

Fir, 3 ins. dia., bears N.40°E., 75 lks. dist.,

marked T 21 S R 7 W S 12 B T.

June 17, 1883.

East, on random line, bet. secs. 12 &amp; 13.

V.20°30'E.

- 40.00 Set temp. qr. sec. cor.
- 79.54 Intersect East boundary, 50 lks. South of cor. to secs. 7, 18, 12 & 13.
- Thence S.89°39'West, on true line, bet. secs. 12 & 13.
- 21.50 Cross branch, 3 lks., flows NE.; ascend.
- 39.77 Set a post, 4 ins. dia., 4 ft. long, with marked stone, 12 ins. in ground, for qr. sec. cor., marked  $\frac{1}{4}$  S on N. face; from which
- Fir, 12 ins. dia., bears N.21°E., 24 lks. dist.,  
marked  $\frac{1}{4}$  S B T.
- Fir, 14 ins. dia., bears S.15°W., 70 lks. dist.,  
marked  $\frac{1}{4}$  S B T.
- 41.50 On top of hill; thence along flat.
- 79.54 The cor. to secs. 13, 14, 11 & 12.

North between secs. 11 &amp; 12.

V.20 $\frac{1}{2}$ °E.

Descend.

- 11.50 Branch, 2 lks., flows East; ascend.
- 38.00 On top of hill; thence along East slope.
- 40.00 Set post, 6 ins. dia., 4 ft. long, with marked stone, 12 ins. in ground, for qr. sec. cor., marked  $\frac{1}{4}$  S on W. face; from which
- Fir, 36 ins. dia., bears S.30°W., 38 lks. dist.,  
marked  $\frac{1}{4}$  S B T.
- Fir, 30 ins. dia., bears S.43°E., 54 lks. dist.,  
marked  $\frac{1}{4}$  S B T.