

## Subdivisions of T. 21 S., R. 6 W.

CHAINS

ins. in ground, for cor. to secs. 34 & 35, marked T 20 S S 35 on NE., T 21 S S 3 on SE., R 6 W S 34 on NW. face, with two notches on E. & 4 on W. edge; from which old bearing trees.

Fir, 12 ins. dia., bears N.49°W., 30 lks. dist., marked † 20 S R 6 W S 34 B T.

Fir, 12 ins. dia., bears N.30°E., 70 lks. dist., marked T 20 S R 6 W S 35 B T.

Fir, 12 ins. dia., bears S.18°E., 21 lks. dist., marked T 21 S R 6 W S 2 B T.

Fir, 12 ins. dia., bears S.41°W., 35 lks. dist., marked T 21 S R 6 W S 3 B T.

I set closing cor. to secs. 2 & 3 by driving post, 6 in. dia., 4 ft. long, with marked stone, 12 ins. in ground, marked T 20 S S 35 on NE., T 21 S S 2 C C on SE., R 6 W S 3 C C on SW. face, with 2 notches on E. and 4 on West edge; from which

Fir, 20 ins. dia., bears N.59°W., 48 lks. dist., marked T 20 S R 6 W S 35 B T.

Fir, 24 ins. dia., bears S.60°E., 94 lks. dist., marked T 21 S R 6 W S 2 C C B T.

Alder, 8 ins. dia., bears S.40°W., 36 lks. dist., marked T 21 S R 6 W S 3 C C B T.

Oct. 4th, 1884.

Note: Previous to subdividing this township, knowing that the east boundary was but little over 6 miles long and the west boundary much longer, I ran the North boundary and found the line in running West bore to the North of West about 250 lks. per mile and the chaining uniformly very long.

From the cor. to secs. 33, 34, 3 & 4, on south boundary of Town.,

North between secs. 33 & 34.