

Subdivisions of T. 21 S., R. 6 W.

CHAINS

Cedar, 20 ins. dia., bears N.73°W., 25 lks. dist.,
marked $\frac{1}{4}$ S B T.

Cedar, 24 ins. dia., bears S.32°E., 11 lks. dist.,
marked $\frac{1}{4}$ S B T.

72.00 Cross ridge; descend 9°.

80.20 The cor. to secs. 3, 4, 9 & 10.

North, on true line, between secs. 3 & 4.

V.21°E.

Ascend 20°.

24.50 Spur of mountain; descend 27°.

40.00 Set post, 4 ins. dia., 4 ft. long, with marked stone, 12
ins. in ground, for gr. sec. cor., marked $\frac{1}{2}$ S on W.
face; from which

Fir, 4 ins. dia., bears S.80°W., 5 lks. dist.,
marked $\frac{1}{4}$ S B T.

Fir, 6 ins. dia., bears S.78°E., 10 lks. dist.,
marked $\frac{1}{4}$ S B T.

57.50 Branch, 2 lks. wide, flows NE.

78.00 Branch, 8 lks. wide, flows W.

79.25 Branch, 8 lks. wide, flows NE.

86.30 Intersect North Bound., 7.08 chs. East of cor. to secs.
33 & 34, which is a post in ground, marked T 20 S S 34
on NE., R 6 W S 3 on SE., T 21 S S 4 on SW., S 33 on
NW. face, with 3 notches on E. & W. edges; from which

Fir, 48 ins. dia., bears N.71°E., 32 lks. dist.,
marked T 20 S R 6 W S 34 B T.

Fir, 48 ins. dia., bears S.75°E., 48 lks. dist.,
marked T 21 S R 6 W S 3 B T.

Cedar, 8 ins. dia., bears S.47°W., 25 lks. dist.,
marked T 21 S R 6 W S 4 B T.

Fir, 24 ins. dia., bears N.62 $\frac{1}{2}$ °W., 23 lks. dist.,
marked T 20 S R 6 W S 33 B T.

I set closing cor. to secs. 3 & 4 by setting post, 6 ins.
dia., 4 ft. long, with marked stone, 12 ins. in ground,