

Subdivisions of T. 21 S., R. 6 W.

CHAINS

marked $\frac{1}{4}$ S B T.

Fir, 40 ins. dia., bears N.37°W., 144 lks. dist.,

marked $\frac{1}{4}$ S B T.

44.50 Descend 25°.

53.50 Branch, 10 lks. wide, flows SW.; ascend 17°.

80.40 The cor. to secs. 20, 21, 28 & 29.

North between secs. 20 & 21.

V.19 $\frac{1}{2}$ °E.

Ascend slope 20°.

16.00 Along flat.

40.00 Set post, 4 ins. dia., 4 ft. long, with marked stone, 12 ins. in ground, for qr. sec. cor., marked $\frac{1}{4}$ S on W. face; from which

Fir, 7 ins. dia., bears N.78°E., 23 lks. dist.,

marked $\frac{1}{4}$ S B T.

Fir, 10 ins. dia., bears S.12°W., 28 lks. dist.,

marked $\frac{1}{4}$ S B T.

49.00 Descend 30°.

80.00 Set post, 6 ins. dia., 4 ft. long, with marked stone, 12 ins. in ground, for cor. to secs. 16, 17, 20 & 21, marked T 21 S S 16 on NE., R 6 W S 21 on SE., S 20 on SW., S 17 on NW. face, with 4 notches on E. and 3 on S. edges; from which

Fir, 40 ins. dia., bears N.14°E., 34 lks. dist.,

marked T 21 S R 6 W S 16 B T.

Hemlock, 24 ins. dia., bears S.69°E., 16 lks. dist.,

marked T 21 S R 6 W S 21 B T.

V. maple, 6 ins. dia., bears S.60°W., 11 lks. dist.,

marked T.21 S R 6 W S 20 B T.

Fir, 36 ins. dia., bears N.15°W., 72 lks. dist.,

marked T.21 S R 6 W S 17 B T.

East, on random line, between secs. 16 & 21.

V.20°E.

40.00 Set temp. qr. sec. cor.