

Subdivisions of T. 21 S., R. 9 W.

CHAINS		
	<p>A fir, 48 ins. diam., bears N.47*E., 107 lks. dist. Marks grown over.</p> <p>A fir, 40 ins. diam., bears S.41*E., 124 lks. dist. Marks burned out by recent forest fires.</p> <p>A fir, 24 ins. diam., bears S.83*W., 66 lks. dist. I remarked this tree T 21 S R 9 W S 4 & 5 B T.</p> <p>A fir, 48 ins. diam. bears N.43*W., 135 lks. dist. Marked T 21 S R 9 W S 5 B T.</p> <p>This corner agrees with description furnished me by U. S. Surveyor General.</p> <p>Thence I run N.89*33'E. on true line, Bet. Secs. 4 and 9.</p> <p style="text-align: right;">Var.20*E.</p> <p>Ascend,</p>	
2.12	Bluff 20 ft. high.	
6.00	Top of ridge on spur sloping NW. Pass over cone.	+150
16.25	Top of spur sloping NE. Descend,	
27.03	Closing Cor. to Secs. 8 and 9. Thence N.89*33'E. on true line, bet. Secs. 4 and 9. <p style="text-align: right;">Var.20*E.</p>	
37.60	Buck Creek, 10 lks. wide, Course N.30*W. Ascend,	-300
40.00	Set sand stone 16 x 7 x 6 in. 12 ins. in the ground on point of hill projecting SW. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on the N. face, from which <p style="text-align: center;">A fir, 12 ins. diam. bears N.58*E., 44 lks. dist. marked $\frac{1}{4}$ S B T.</p> <p style="text-align: center;">A Maple, 10 ins. diam., bears S.12*E., 75 lks. dist. marked $\frac{1}{4}$ S B T.</p>	
53.75	Top of ridge Course N. and S. Descend gradually,	+425