

RESURVEY EAST BOUNDARY T. 21 S., R. 10 W.

CHAINS

20.20 Descend along E. slope 50 ft. to
 26.38 (A point E. of the cor. of Secs. 22, 23, 26 and 27)
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of Secs. 24 and 25, with brass
 cap marked

T21S
 S24
 S25
 R10W
 1919

from which

A Hemlock, 18 ins. diam., bears S.56*W., 63 lks.
 dist., marked T 21 S R 10 W S 25 B T.

A Fir, 60 ins. diam., bears N.42*W., 30 lks.
 dist., marked T 21 S R 10 W S 24 B T.

Land, mountainous.

Soil, sandy loam, sandstone bedrock, mostly shallow;
 2nd rate.

Timber, Fir, Hemlock and Cedar.

Undergrowth, Salmonberry, Huckleberry, Vinemaple and
 Salal.

N.0*19'E., resurveying the E. bdy. of Sec. 24.

Ascend SE slope, through heavy timber and scattering
 undergrowth, 160 ft. to

13.51 Intersect the point for old $\frac{1}{4}$ Sec. cor., located by
 reference to the bearing trees, I obliterate marks
 on the bearing tree referring to Sec. 24 and change
 this cor. to refer to Sec. 19 only. At the exact
 cor. point set an iron post, 3 ft. long, 1 in. diam.
 26 ins. in the ground, for $\frac{1}{4}$ Sec. cor. of Sec. 19
 only, with brass cap marked

$\frac{1}{4}$
 S19
 1919

from which

An Alder, 14 ins. diam., bears N.66*E., 16 lks.
 dist., marked $\frac{1}{4}$ S 19 B T (Old B.T.)