

RESURVEY PORTION NORTH BOUNDARY T. 21 S., R. 10 W.

CHAINS

A Maple, 10 ins. diam., bears S.22*E., 20 lks. dist., marked $\frac{1}{2}$ S 3 B T.

A Chittem, 8 ins. diam., bears S.56*W., 68 lks. dist., marked $\frac{1}{4}$ S 3 B T.

Descend 160 ft. to

39.51 $\frac{1}{2}$ Apportioned distance

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ Sec. cor. of Sec. 34 only, with brass cap marked

$\frac{1}{4}$ S34
1919

from which

A Chittem, 8 ins. diam., bears N.10*E., 61 lks. dist., marked $\frac{1}{2}$ S 34 B T.

A Fir, 14 ins. diam., bears N.6*W., 66 lks. dist., marked $\frac{1}{4}$ S 34 B T.

Descend gradually.

40.95 Creek, 2 lks. wide, course N; ascend W. slope 40 ft. to

42.05 Top of ridge, bears N and S; descend E. slope 260 ft. to

50.05 Dry bed of creek, course N; ascend NW slope 290 ft. to

55.45 Top of spur, slopes NE; descend E. slope 180 ft. to

59.85 Dry ravine, course N; ascend NW slope 175 ft, to

65.15 Top of spur, slopes N.; thence along N. slope.

67.55 Top of spur, slopes NE; descend gradual E slope 220 ft. to

73.91 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for Cor. of Secs. 2 and 3, with brass cap marked

S3 | S2
T21S R10W
1919

from which

A Fir, 40 ins. diam., bears S.25*E., 50 lks. dist., marked T 21 S R 10 W S 2 B T.

A Fir, 30 ins. diam., bears S.72*W., 33 lks. dist., marked T 21 S R 10 W S 3 B T.