

SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

A Maple, 5 ins. diam., bears S.80\*W., 28 lks. dist., marked  $\frac{1}{4}$  S 26 B T.

Descend S slope 640 ft. to

50.90 Ravine, course S.15\*W; continue descend along SW slope 50 ft. to

53.50 Stream, 2 lks. wide, course SW; ascend NW slope 520 ft. to

67.10 Top of spur, slopes W; descend SW slope 160 ft. to

72.30 Draw, course W; ascend NW slope 70 ft. to

74.40 Top of spur, slopes W; descend SW slope 135 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of Secs. 25, 26, 35 and 36, with brass cap marked

T21S R10W	
S26	S25
S35	S36
1919	

from which

A Fir, 14 ins. diam., bears N.15\*E., 22 lks. dist., marked T 21 S R 10 W S 25 B T.

A Fir, 10 ins. diam., bears S.22\*E., 12 lks. dist., marked T 21 S R 10 W S 36 B T.

A Fir, 14 ins. diam., bears S.2\*W., 28 lks. dist., marked T 21 S R 10 W S 35 B T.

A Fir, 12 ins. diam., bears N.78\*W., 14 lks. dist., marked T 21 S R 10 W S 26 B T.

Land, mountainous.

Soil, shallow light loam; 2nd rate.

Timber, Fir, Cedar and Hemlock.

Undergrowth, Huckleberry, Salmonberry, Vinemaple, Manzanita, Alder, Salal and Rhododendron.

East, on a random line, bet. Secs. 25 and 36.

40.00 Set temp.  $\frac{1}{4}$  Sec. corner.

97.64 Intersect E. bdy. of the Tp., 10 lks. N of the corner of Secs. 25 and 36, previously described.

Thence