

SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

An Alder, 10 ins. diam., bears S.85°E., 70 lks.

dist., marked T 21 S R 10 W S 24 B T.

An Alder, 18 ins. diam., bears S.55°W., 38 lks.

dist., marked T 21 S R 10 W S 23 B T.

An Alder, 16 ins. diam., bears N.80°W., 47 lks.

dist., marked T 21 S R 10 W S 14 B T.

Land, mountainous.

Soil, sandy loam; 1st rate.

Timber, Alder, Maple, Fir and Hemlock.

Undergrowth, Huckleberry, Rhododendron, Vinemaple,

Salmonberry and Fern.

East, on a random line, bet. Secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ Sec. corner.

98.80 Intersect E bdy. of the Tp., 15 lks. S. of the corner
of Secs. 13 and 24, previously described.

Thence

S.89°55'W., on a true line, bet. Secs. 13 and 24.

Ascend NE slope, through heavy timber and dense under-
growth, 185 ft. to

10.30 Top of ridge, bears N and S; descend SW and W slope
640 ft. to stream.

20.35 Descend steep W slope.

26.30 Small stream, 1 lk. wide, course S; ascend SE slope
90 ft. to

30.55 Top of spur, slopes S; descend SW slope 100 ft. to

32.50 Ravine, course S; ascend SE slope 190 ft. to

37.65 Top of spur, slopes S; descend SW slope 135 ft. to

41.90 Ravine, course S; ascend E slope 375 ft. to

50.90 Top of ridge, bears N and S; descend NW slope 335 ft. to

58.80 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for $\frac{1}{4}$ Sec. cor., with brass cap marked

$\frac{1}{4}$ $\frac{S13}{S24}$
1919

from which