

SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

A Hemlock, 12 ins. diam., bears S.80*W., 28 lks. dist., marked $\frac{1}{4}$ S 24 B T.

A Fir, 36 ins. diam., bears N.31*W., 24 lks. dist., marked $\frac{1}{4}$ S 13 B T.

Descend NW slope 35 ft. to

62.55 Ravine, course N; ascend 20 ft. to

63.10 Top of ascent; descend NW slope 75 ft. to

67.05 Ravine, course N; ascend along broken N slope 125 ft. to

79.90 Top of spur, slopes NW; descend W slope 235 ft. to

85.00 Small stream, 1 lk. wide, course N; ascend NE slope 170 ft. to

90.65 Top of spur, slopes N; descend general NW slope 100 ft. to

98.80 The corner of Secs. 13, 14, 23 and 24.

Land, mountainous.

Soil, sandy loam; 1st rate.

Timber, Alder, Maple, Fir and Hemlock,

Undergrowth, Huckleberry, Rhododendron, Vinemaple, Salmonberry and Fern.

North, on sectional guide meridian, bet. Secs. 13 and 14.

Descend N. slope, through heavy timber and dense undergrowth, 345 ft. to

8.10 Creek, 5 lks. wide, course W; ascend SW slope 320 ft. to

15.50 Top of spur, slopes W; descend NW slope 100 ft. to

21.90 Ravine, course W; ascend SW slope 300 ft. to

29.20 Top of spur, slopes NW; descend NE slope 375 ft. to

37.50 Small stream, 2 lks. wide, course NW; ascend SW slope 80 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ Sec. corner with brass cap marked

$\frac{1}{4}$
S14 | S13
1919

from which