

## SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

$$\begin{array}{c} \frac{1}{4} \\ | \\ S10 \\ | \\ 1919 \end{array}$$

from which

An Alder, 8 ins. diam., bears S.60\*W., 12 lks.  
dist., marked  $\frac{1}{4}$  S 10 B T.

A Fir, 36 ins. diam., bears N.38\*W., 24 lks.  
dist., marked  $\frac{1}{4}$  S 10 B T.

Ascend SW slope 20 ft. to

32.15 Top of spur, slopes W; descend NW slope 350 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
the ground, for  $\frac{1}{4}$  Sec. cor. of Sec. 11 only, with  
brass cap marked
$$\begin{array}{c} \frac{1}{4} \\ | \\ S11 \\ | \\ 1919 \end{array}$$

from which

An Alder, 10 ins. diam., bears N.47\*E., 74 lks.  
dist., marked  $\frac{1}{4}$  S 11 B T.

A Hemlock, 36 ins. diam., bears S.70\*E., 48 lks.  
dist., marked  $\frac{1}{4}$  S 11 B T.

Continue descent 55 ft. to

40.70 Creek, 3 lks. wide, course NW; ascend SW slope 90 ft. to

45.10 Top of spur, slopes NW; descend NE slope 200 ft. to

48.65 Stream, 2 lks. wide, course NW; ascend 20 ft. to

49.70 Top of small spur, slopes W; descend NW slope 25 ft. to

50.40 Stream, 2 lks. wide, course SW; ascend SW slope 275 ft.  
to

57.90 Top of spur, slopes W; descend NW slope 155 ft. to

61.30 Stream, 1 lk. wide, course W; ascend SW slope 185 ft. to

69.00 Top of spur, slopes W; descend NW slope 55 ft. to

72.03 (A point 73.89 chs. east of the cor. of Secs. 3, 4, 9  
and 10).

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in  
the ground, for cor. of Secs. 3 and 10, with brass  
cap marked